THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 1. Vol. XCVIII WEEK ENDED SATURDAY, 7th JANUARY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 353—180 boys and 173 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 267. Of these deaths, 6 were due to tuberculosis and 39 to malignant neoplasms. There were 3 accidental deaths, 2 of which were due to drowning. There was one suicide.

Among the deaths of infants under one year, 7 were due to congenital malformation, 5 to pneumonia, 4 to prematurity, one to congenital debility, one to acute pyelo-nephritis, one to atelectasis, one to nutritional anaemia and one to bilateral adrenal haemorrhage.

The total number of births registered during the week in the principal towns was 584—313 boys and 271 girls, of which 169 boys and 157 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 367, of which 183 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 7th January, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																		
						CAUSED BY																
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	353	267	21	170	6	.	.	.	.	.	.	1	1	39	1	13	21	.	4	181
DUBLIN COUNTY BOROUGH	539,476	227	158	14	99	5	.	.	.	.	.	.	1	1	27	.	9	11	.	3	101
DUN LAOGHAIRE BOROUGH	47,553	19	10	.	8	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	6
CORK COUNTY BOROUGH	80,011	22	40	2	23	.	.	.	.	.	.	.	.	.	2	.	1	6	.	.	31
LIMERICK COUNTY BOROUGH	50,886	16	8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
WATERFORD COUNTY BOROUGH	28,878	10	14	1	9	.	.	.	.	.	.	.	.	.	3	.	1	1	.	1	8
GALWAY BOROUGH	21,219	9	3	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	16	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
DROGHEDA URBAN DISTRICT	17,008	12	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	6	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
TRALEE URBAN DISTRICT	10,928	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BRAY URBAN DISTRICT	10.856	6	7	1	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	3
WEXFORD URBAN DISTRICT	10,838	2	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	1	2	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	3	7	2	2	.	.	.	.	.		.	.	.	2	.	.	1	.	.	4
BELFAST	433,800	196	115	6	74	1	1	.	.	.	—	—	.	.	—	.	21	21		—	—
DERRY	53,300	37	23	1	17	.	.	.	.	.	—	—	.	.	—	.	1	2	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 7th January, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other form	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	14	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	12
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
45–64	37	3	.	.	.	.	.	.	.	.	8	.	.	6	.	1	19
65 and over	99	1	.	.	.	.	.	.	.	1	18	.	6	5	.	2	66
TOTAL	158	5	.	.	.	.	.	.	1	1	27	.	9	11	.	3	101
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
45–64	12	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	8
65 and over	23	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	20
TOTAL	40	.	.	.	.	.	.	.	.	.	2	.	1	6	.	.	31
TWELVE OTHER TOWNS																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	12	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	7
65 and over	48	.	.	.	.	.	.	.	.	.	4	1	2	4	.	1	36
TOTAL	69	1	.	.	.	.	.	.	.	.	10	1	3	4	.	1	49

G102. D27704/1. G.70. 165.1/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 2. Vol. XCVIII WEEK ENDED SATURDAY, 14th JANUARY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 327—168 boys and 159 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 296. Of these deaths, 7 were due to tuberculosis and 24 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to burns and one to a transport accident.

Among the deaths of infants under one year, 6 were due to congenital malformation, 4 to pneumonia, 2 to prematurity, 2 to gastro-enteritis, one to bronchitis and one to convulsions.

The total number of births registered during the week in the principal towns was 629—313 boys and 316 girls, of which 127 boys and 126 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 412, of which 215 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 14th January, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	327	296	16	189	7	·	·	·	·	·	·	·	·	24	10	16	30	2	5	202
DUBLIN COUNTY BOROUGH	539,476	169	187	12	117	4	·	·	·	·	·	·	·	·	15	5	8	22	1	4	128
DUN LAOGHAIRE BOROUGH	47,553	14	15	·	9	1	·	·	·	·	·	·	·	·	1	1	1	1	·	·	10
CORK COUNTY BOROUGH	80,011	65	32	·	20	·	·	·	·	·	·	·	·	·	4	4	·	3	·	1	20
LIMERICK COUNTY BOROUGH	50,886	15	20	·	12	1	·	·	·	·	·	·	·	·	3	·	3	2	·	·	11
WATERFORD COUNTY BOROUGH	28,878	9	10	·	8	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	7
GALWAY BOROUGH	21,219	10	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2
DUNDALK URBAN DISTRICT	20,154	8	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
DROGHEDA URBAN DISTRICT	17,008	12	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
SLIGO URBAN DISTRICT	12,947	·	5	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5
TRALEE URBAN DISTRICT	10,928	7	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	3
BRAY URBAN DISTRICT	10.856	5	5	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5
WEXFORD URBAN DISTRICT	10,838	5	6	·	5	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	4
CLONMEL URBAN DISTRICT	10,697	2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
KILKENNY URBAN DISTRICT	10,607	6	3	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2
BELFAST	433,800	191	124	11	75	·	·	·	·	·	—	—	·	·	—	·	25	12	·	—	—
DERRY	53,300	30	10	1	7	·	·	·	·	·	—	—	·	·	—	·	2	·	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 14th January, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	7
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
25–44	9	3	.	.	.	.	.	.	.	.	1	.	.	2	.	.	3
45–64	46	1	.	.	.	.	.	.	.	.	6	.	1	3	.	.	35
65 and over	117	.	.	.	.	.	.	.	.	.	8	4	4	16	.	3	82
TOTAL	187	4	.	.	.	.	.	.	.	.	15	5	8	22	1	4	128
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	10	.	.	.	.	.	.	.	.	.	3	2	.	1	.	.	4
65 and over	20	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	15
TOTAL	32	.	.	.	.	.	.	.	.	.	4	4	.	3	.	1	20
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	20	1	.	.	.	.	.	.	.	.	3	1	.	2	.	.	13
65 and over	52	1	.	.	.	.	.	.	.	.	2	.	7	3	.	.	39
TOTAL	77	3	.	.	.	.	.	.	.	.	5	1	8	5	1	.	54

RECEIVED
21 JAN 1961
Ansd.

G103. D27704/1. G.70. 165.1/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 3. Vol. XCVIII WEEK ENDED SATURDAY, 21st JANUARY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 386—190 boys and 196 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 331. Of these deaths, 7 were due to tuberculosis and 34 to malignant neoplasms. There were 4 accidental deaths, 3 of which were due to transport accidents.

Among the deaths of infants under one year, 7 were due to pneumonia, 2 to prematurity, 2 to gastro-enteritis, 2 to congenital malformation, 2 to anoxia, 2 to hyaline membrane disease, one to whooping cough, one to cerebral tumour, one to cyanosis, one to hepatitis, one to injury at birth and one to atelectasis.

The total number of births registered during the week in the principal towns was 674—342 boys and 332 girls, of which 197 boys and 183 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 426, of which 277 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 21st January, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS.	872,058	386	331	23	204	7	.	.	.	2	.	.	.	1	34	10	36	52	2	4	183
DUBLIN COUNTY BOROUGH	539,476	260	240	17	140	4	.	.	.	1	.	.	.	.	23	7	30	41	1	3	130
DUN LAOGHAIRE BOROUGH	47,553	12	15	1	11	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	11
CORK COUNTY BOROUGH	80,011	33	30	4	21	.	.	.	.	.	.	.	.	.	3	2	1	6	.	.	18
LIMERICK COUNTY BOROUGH	50,886	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
WATERFORD COUNTY BOROUGH	28,878	34	12	.	7	3	.	.	.	.	.	.	.	.	1	.	3	.	.	.	5
GALWAY BOROUGH	21,219	4	6	1	5	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	4
DUNDALK URBAN DISTRICT	20,154	7	4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
DROGHEDA URBAN DISTRICT	17,008	8	6	.	3	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	2
SLIGO URBAN DISTRICT	12,947	7	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
TRALEE URBAN DISTRICT	10,928	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
BRAY URBAN DISTRICT	10.856	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
WEXFORD URBAN DISTRICT	10,838	3	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
BELFAST	433,800	157	137	3	86	3	2	.	.	.	—	—	.	.	—	2	22	21	.	—	—
DERRY	53,300	23	15	2	10	.	.	.	.	.	—	—	.	.	—	.	3	3	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 21st January, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
		Tuberculosis										Diseases of the respiratory system					
	TOTAL DEATHS	Respiratory system	Other form	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	17	.	.	.	.	.	.	.	.	.	.	.	6	.	1	.	10
1–4	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
25–44	10	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	5
45–64	67	1	.	.	.	.	.	.	.	.	9	2	6	16	.	1	32
65 and over	140	2	.	.	.	.	.	.	.	.	14	4	16	23	.	1	80
TOTAL	240	4	.	.	.	1	.	.	.	.	23	7	30	41	1	3	130
CORK COUNTY BOROUGH																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3
65 and over	21	.		.	.	.	.	.	.	.	3	2	.	4	.	.	12
TOTAL	30	.	.	.	.	.	.	.	.	.	3	2	1	6	.	.	18
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
1–4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
45–64	11	1	.	.	.	.	.	.	.	.	3	.	.	2	.	.	5
65 and over	43	1	.	.	.	.	.	.	.	1	3	1	5	3	.	.	29
TOTAL	61	3	.	.	.	1	.	.	.	1	8	1	5	5	1	1	35

G104. D27704/1. G.70. 165.1/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 4. Vol. XCVIII | WEEK ENDED SATURDAY, 28th JANUARY, 1961 | PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 410—202 boys and 208 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 322. Of these deaths, 5 were due to tuberculosis and 32 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents and 2 to drowning.

Among the deaths of infants under one year, 4 were due to congenital malformation, 2 to pneumonia, one to asthmatic bronchitis, one to prematurity, one to neo-natal infection, one to injury at birth and one to atelectasis.

The total number of births registered during the week in the principal towns was 687—356 boys and 331 girls, of which 171 boys and 185 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 434, of which 264 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 28th January, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	410	322	11	228	5	·	·	·	·	·	·	·	·	32	33	27	44	·	6	175
DUBLIN COUNTY BOROUGH	539,476	241	220	9	156	4	·	·	·	·	·	·	·	·	20	20	22	34	·	6	114
DUN LAOGHAIRE BOROUGH	47,553	34	17	·	12	·	·	·	·	·	·	·	·	·	3	1	1	1	·	·	11
CORK COUNTY BOROUGH	80,011	27	29	·	23	·	·	·	·	·	·	·	·	·	4	7	·	1	·	·	17
LIMERICK COUNTY BOROUGH	50,886	34	20	·	13	·	·	·	·	·	·	·	·	·	3	2	1	2	·	·	12
WATERFORD COUNTY BOROUGH	28,878	18	6	·	3	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·	2
GALWAY BOROUGH	21,219	10	5	·	4	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	2
DUNDALK URBAN DISTRICT	20,154	12	6	·	4	·	·	·	·	·	·	·	·	·	·	·	1	3	·	·	2
DROGHEDA URBAN DISTRICT	17,008	5	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2
SLIGO URBAN DISTRICT	12,947	1	7	·	6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	7
TRALEE URBAN DISTRICT	10,928	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
BRAY URBAN DISTRICT	10.856	6	4	·	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3
WEXFORD URBAN DISTRICT	10,838	6	3	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2
CLONMEL URBAN DISTRICT	10,697	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
KILKENNY URBAN DISTRICT	10,607	8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BELFAST	433,800	176	143	3	92	·	·	·	·	·	—	—	·	·	—	5	42	17	3	—	—
DERRY	53,300	26	17	3	11	·	·	·	·	·	—	—	·	·	—	·	2	3	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 28th January, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
25–44	9	1	.	.	.	.	.	.	.	.	4	.	1	.	.	3	.
45–64	43	2	.	.	.	.	.	.	.	.	9	1	3	7	.	2	19
65 and over	156	1	.	.	.	.	.	.	.	.	6	19	17	26	.	1	86
TOTAL	220	4	.	.	.	.	.	.	.	.	20	20	22	34	.	6	114
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
65 and over	23	.	.	.	.	.	.	.	.	.	2	5	.	1	.	.	15
TOTAL	29	.	.	.	.	.	.	.	.	.	4	7	.	1	.	.	17
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	20	1	.	.	.	.	.	.	.	.	3	2	.	5	.	.	9
65 and over	49	.	.	.	.	.	.	.	.	.	5	4	3	4	.	.	33
TOTAL	73	1	.	.	.	.	.	.	.	.	8	6	5	9	.	.	44

G105. D27704/1. G.70. 165.1/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 5. Vol. XCVIII WEEK ENDED SATURDAY, 4th FEBRUARY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 417—204 boys and 213 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 379. Of these deaths, 3 were due to tuberculosis and 35 to malignant neoplasms. There were 6 accidental deaths, one of which was due to burns and one to drowning. There was one suicide.

Among the deaths of infants under one year, 5 were due to pneumonia, 4 to prematurity, 3 to atelectasis, 2 to congenital malformation, 2 to injury at birth, 2 to haemolytic disease and one to asphyxia.

The total number of births registered during the week in the principal towns was 727—359 boys and 368 girls, of which 198 boys and 204 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 497 of which 302 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 4th February, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																		
						CAUSED BY																
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	417	379	20	254	3	·	·	·	·	·	·	2	1	35	54	36	41	·	7	200
DUBLIN COUNTY BOROUGH	539,476	271	254	12	165	3	·	·	·	·	·	·	2	·	27	39	21	33	·	3	126
DUN LAOGHAIRE BOROUGH	47,553	25	18	·	16	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	14
CORK COUNTY BOROUGH	80,011	26	39	1	29	·	·	·	·	·	·	·	·	·	5	7	4	3	·	2	18
LIMERICK COUNTY BOROUGH	50,886	28	15	1	12	·	·	·	·	·	·	·	·	·	1	1	3	1	·	·	9
WATERFORD COUNTY BOROUGH	28,878	22	15	·	11	·	·	·	·	·	·	·	·	1	1	2	2	3	·	·	6
GALWAY BOROUGH	21,219	2	4	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2
DUNDALK URBAN DISTRICT	20,154	3	3	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2
DROGHEDA URBAN DISTRICT	17,008	5	4	1	3	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
SLIGO URBAN DISTRICT	12,947	21	6	2	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	5
TRALEE URBAN DISTRICT	10,928	4	5	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4
BRAY URBAN DISTRICT	10.856	1	5	·	4	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	3
WEXFORD URBAN DISTRICT	10,838	7	6	2	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	5
CLONMEL URBAN DISTRICT	10,697	·	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2
KILKENNY URBAN DISTRICT	10,607	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
BELFAST	433,800	171	188	8	133	·	1	·	·	·	—	—	·		—	15	49	15	1	—	—
DERRY	53,300	40	17	2	13	·	·	·	·	·	—	—	·	·	—	·	5	1	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

Table 2.—Deaths registered during week ended Saturday, 4th February, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

Age Group	Total Deaths	Tuberculosis: Respiratory system	Tuberculosis: Other form	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
	Deaths caused by																
Dublin County Borough																	
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	10
1–4	3	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
15–24	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
25–44	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
45–64	63	3	.	.	.	.	.	.	.	.	14	8	.	9	.	.	29
65 and over	165	.	.	.	.	.	.	.	.	.	13	30	19	23	.	.	80
Total	254	3	.	.	.	.	.	.	2	.	27	39	21	33	.	3	126
Cork County Borough																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	9	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	4
65 and over	29	.	.	.	.	.	.	.	.	.	4	6	1	3	.	2	13
Total	39	.	.	.	.	.	.	.	.	.	5	7	4	3	.	2	18
Twelve Other Towns																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	3
1–4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
45–64	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	7
65 and over	60	.	.	.	.	.	.	.	.	.	2	4	6	2	.	1	45
Total	86	.	.	.	.	.	.	.	.	1	3	8	11	5	.	2	56

G529. D27704/2. G.70. 165.2/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 6. Vol. XCVIII WEEK ENDED SATURDAY, 11th FEBRUARY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 376—215 boys and 161 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 376. Of these deaths, 11 were due to tuberculosis and 28 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents and one to burns.

Among the deaths of infants under one year, 2 were due to congenital malformation, one to pneumonia, one to prematurity, one to erythroblastosis foetalis and one to neo-natal cold injury.

The total number of births registered during the week in the principal towns was 647—369 boys and 278 girls, of which 190 boys and 150 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 457 of which 229 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 11th February, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS		DEATHS CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS.	872,058	376	314	6	213	11	.	.	.	.	.	.		1	28	46	22	38	.	5	163
DUBLIN COUNTY BOROUGH	539,476	245	186	2	123	11	.	.	.	.	.	.	.	.	16	17	14	24	.	4	100
DUN LAOGHAIRE BOROUGH	47,553	16	19	.	16	.	.	.	.	.	.	.	.	.	3	3	1	2	.	.	10
CORK COUNTY BOROUGH	80,011	44	44	1	30	.	.	.	.	.	.	.	.	.	5	17	1	4	.	.	17
LIMERICK COUNTY BOROUGH	50,886	29	17	2	13	.	.	.	.	.	.	.	.	.	1	.	1	4	.	.	11
WATERFORD COUNTY BOROUGH	28,878	5	8	1	6	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	4
GALWAY BOROUGH	21,219	5	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DUNDALK URBAN DISTRICT	20,154	8	4	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	8	16	.	11	.	.	.	.	.	.	.	.	.	2	4	1	2	.	.	7
SLIGO URBAN DISTRICT	12,947	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
TRALEE URBAN DISTRICT	10,928	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
BRAY URBAN DISTRICT	10.856	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	2	1	.	1	.	.		.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	2	3	.	1	.	.	.		.	.	.	.	1	.	.	.	1	.	.	1
KILKENNY URBAN DISTRICT	10,607	3	8	.	3	.	.	.	.	.		.	.	.	1	1	.	1	.	.	5
BELFAST	433,800	182	178	11	121	.	.	.	.	.	—	—	1		—	22	43	25	.	—	—
DERRY	53,300	22	18	1	10	.	.	.	.	.	—	—	.	.	—	.	2	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 11th February, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	54	8	.	.	.	.	.	.	.	.	10	5	2	9	.	1	19
65 and over	123	2	.	.	.	.	.	.	.	.	5	12	11	15	.	2	76
TOTAL	186	11	.	.	.	.	.	.	.	.	16	17	14	24	.	4	100
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	10	.	.	.	.	.	.	.	.	.	3	3	.	2	.	.	2
65 and over	30	.		.	.	.	.	.	.	.	1	14	1	2	.	.	12
TOTAL	44	.	.	.	.	.	.	.	.	.	5	17	1	4	.	.	17
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1
45–64	17	.	.	.	.	.	.	.	.	.	1	3	1	1	.	.	11
65 and over	60	.	.	.	.	.	.	.	.	.	4	9	6	9	.	1	31
TOTAL	84	.	.	.	.	.	.	.	.	1	7	12	7	10	.	1	46

G530. D27704/2. G.70. 165.2/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 7. Vol. XCVIII | WEEK ENDED SATURDAY, 18th FEBRUARY, 1961 | PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 379—185 boys and 194 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 293. Of these deaths, 7 were due to tuberculosis and 39 to malignant neoplasms. There were 5 accidental deaths, 4 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 4 were due to pneumonia, 5 to congenital malformation, one to prematurity, 2 to atelectasis, 2 to injury at birth, one to hyaline membrane disease, one to gastro-enteritis, one to influenza and one to neo-natal infection.

The total number of births registered during the week in the principal towns was 636—315 boys and 321 girls, of which 197 boys and 177 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 428 of which 208 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 18th February, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	379	293	18	196	7	.	.	.	.	.	.	1	.	39	37	20	22	1	5	161
DUBLIN COUNTY BOROUGH	539,476	257	157	13	97	5	.	.	.	.	.	.	1	.	25	14	16	11	1	3	81
DUN LAOGHAIRE BOROUGH	47,553	11	15	1	10	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	12
CORK COUNTY BOROUGH	80,011	34	36	.	28	2	.	.	.	.	.	.	.	.	6	4	.	4	.	.	20
LIMERICK COUNTY BOROUGH	50,886	20	18	.	15	.	.	.	.	.	.	.	.	.	3	.	1	4	.	1	9
WATERFORD COUNTY BOROUGH	28,878	11	21	.	18	.	.	.	.	.	.	.	.	.	1	11	.	1	.	.	8
GALWAY BOROUGH	21,219	3	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	6	8	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	6
DROGHEDA URBAN DISTRICT	17,008	.	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
SLIGO URBAN DISTRICT	12,947	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	2	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
BRAY URBAN DISTRICT	10.856	7	7	1	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5
WEXFORD URBAN DISTRICT	10,838	18	10	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	6
CLONMEL URBAN DISTRICT	10,697	4	5	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
KILKENNY URBAN DISTRICT	10,607	4	7	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	6
BELFAST	433,800	169	163	8	121	.	.	.	.	.	—	—	.		—	32	39	20	.	—	—
DERRY	53,300	35	12	1	9	.	.	.	.	.	—	—	.	.	—	.	1	1	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 18th February, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	10
1–4	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	7	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3
45–64	38	.	.	.	.	.	.	.	.	.	11	2	4	5	.	1	15
65 and over	97	4	.	.	.	.	.	.	.	.	14	11	9	6	.	.	53
TOTAL	157	5	.	.	.	.	.	.	1	.	25	14	16	11	1	3	81
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
45–64	6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
65 and over	28	.	.	.	.	.	.	.	.	.	4	4	.	2	.	.	18
TOTAL	36	2	.	.	.	.	.	.	.	.	6	4	.	4	.	.	20
TWELVE OTHER TOWNS																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
45–64	19	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	16
65 and over	71	.	.	.	.	.	.	.	.	.	5	17	2	6	.	.	41
TOTAL	100	.	.	.	.	.	.	.	.	.	8	19	4	7	.	2	60

RECEIVED
27 [illegible]

G532. D27704/2. G.70. 165.2/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 8. Vol. XCVIII WEEK ENDED SATURDAY, 25th FEBRUARY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 374—200 boys and 174 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 203. Of these deaths, one was due to tuberculosis and 26 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident and one to drowning. There were 2 suicides.

Among the deaths of infants under one year, 2 were due to pneumonia, 2 to prematurity, one to hyaline membrane disease, one to gastro-enteritis and one to whooping cough.

The total number of births registered during the week in the principal towns was 686 — 363 boys and 323 girls, of which 178 boys and 154 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 315 of which 140 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 25th February, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	374	203	7	137	1	.	.	.	1	.	.	1	.	26	17	13	20	1	5	118
DUBLIN COUNTY BOROUGH	539,476	219	106	2	66	1	.	.	.	1	.	.	1	.	15	3	6	12	.	5	62
DUN LAOGHAIRE BOROUGH	47,553	22	13	.	1	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	7
CORK COUNTY BOROUGH	80,011	47	30	1	20	.	.	.	.	.	.	.	.	.	5	3	2	2	.	.	18
LIMERICK COUNTY BOROUGH	50,886	22	10	.	6	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	4
WATERFORD COUNTY BOROUGH	28,878	22	13	.	12	.	.	.	.	.	.	.	.	.	1	8	.	.	.	.	4
GALWAY BOROUGH	21,219	7	7	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
DUNDALK URBAN DISTRICT	20,154	6	7	1	5	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	3
DROGHEDA URBAN DISTRICT	17,008	8	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	8	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,928	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	7	5	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3
WEXFORD URBAN DISTRICT	10,838	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BELFAST	433,800	174	123	6	86	3	.	.	.	.	—	—	.	.	—	8	28	15	.	—	—
DERRY	53,300	34	10	1	8	.	.	.	.	.	—	—	.	.	—	.	2	2	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 25th February, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
1–4	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
45–64	31	.	.	.	.	.	.	.	.	.	7	1	1	4	.	1	17
65 and over	66	1	.	.	.	.	.	.	.	.	7	2	4	7	.	3	42
TOTAL	106	1	.	.	.	1	.	.	1	.	15	3	6	12	.	5	62
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	7	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	4
65 and over	20	.	.	.	.	.	.	.	.	.	3	3	1	2	.	.	11
TOTAL	30	.	.	.	.	.	.	.	.	.	5	3	2	2	.	.	18
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	11	.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	5
65 and over	51	.	.	.	.	.	.	.	.	.	1	11	4	4	.	.	31
TOTAL	67	.	.	.	.	.	.	.	.	.	6	11	5	6	1	.	38

G533. D27704/2. G.70. 165.2/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 9. Vol. XCVIII | WEEK ENDED SATURDAY, 4th MARCH, 1961 | PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 396—214 boys and 182 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 219. Of these deaths, 2 were due to tuberculosis and 31 to malignant neoplasms. There were 6 accidental deaths, one of which was due to a transport accident, one to drowning and one to carbon monoxide poisoning.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to injury at birth, 2 to gastro-enteritis, 2 to prematurity, 2 to atelectasis, one to hyaline membrane disease, one to pneumonia, one to bronchitis, one to haemolytic disease and one to convulsions.

The total number of births registered during the week in the principal towns was 730 — 393 boys and 337 girls, of which 181 boys and 164 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 325 of which 124 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 4th March, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	396	219	17	136	2	·	·	·	·	·	·	1	1	31	6	10	23	2	6	137
DUBLIN COUNTY BOROUGH	539,476	215	99	12	56	1	·	·	·	·	·	·	1	·	18	1	4	15	2	5	52
DUN LAOGHAIRE BOROUGH	47,553	21	13	1	10	·	·	·	·	·	·	·	·	·	2	·	1	1	·	·	9
CORK COUNTY BOROUGH	80,011	39	22	·	15	·	·	·	·	·	·	·	·	·	1	·	·	2	·	1	18
LIMERICK COUNTY BOROUGH	50,886	35	40	2	23	1	·	·	·	·	·	·	·	1	5	2	2	3	·	·	26
WATERFORD COUNTY BOROUGH	28,878	17	25	1	18	·	·	·	·	·	·	·	·	·	2	1	3	1	·	·	18
GALWAY BOROUGH	21,219	22	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
DUNDALK URBAN DISTRICT	20,154	13	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
DROGHEDA URBAN DISTRICT	17,008	8	4	·	4	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2
SLIGO URBAN DISTRICT	12,947	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TRALEE URBAN DISTRICT	10,928	4	3	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
BRAY URBAN DISTRICT	10.856	3	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
WEXFORD URBAN DISTRICT	10,838	10	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	3
CLONMEL URBAN DISTRICT	10,697	6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
KILKENNY URBAN DISTRICT	10,607	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
BELFAST	433,800	182	109	6	73	2	·	·	·	·	—	—	1	·	—	6	16	9	·	—	—
DERRY	53,300	28	10	·	5	·	·	·	·	·	—	—	·	·	—	·	2	·	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 4th March, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	9
1–4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2
45–64	24	.	.	.	.	.	.	.	.	.	8	.	.	5	.	1	10
65 and over	56	1	.	.	.	.	.	.	.	.	8	1	3	10	.	2	31
TOTAL	99	1	.	.	.	.	.	.	1	.	18	1	4	15	2	5	52
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
65 and over	15	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	12
TOTAL	22	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	18
TWELVE OTHER TOWNS																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
1–4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
45–64	23	1	.	.	.	.	.	.	.	1	3	1	.	4	.	.	13
65 and over	65	.	.	.	.	.	.	.	.	.	7	3	6	1	.	.	48
TOTAL	98	1	.	.	.	.	.	.	.	1	12	5	6	6	.	.	67

G969. D27704/3. G.70. 165.3/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 10. Vol. XCVIII WEEK ENDED SATURDAY, 11th MARCH, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 417—221 boys and 196 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 211. Of these deaths, 5 were due to tuberculosis and 20 to malignant neoplasms. There were 13 accidental deaths, 4 of which were due to transport accidents, 2 to carbon monoxide poisoning, and one to conflagration. There was one suicide.

Among the deaths of infants under one year, 5 were due to congenital malformation, 5 to prematurity, 3 to pneumonia, one to mongolism and one to hernia.

The total number of births registered during the week in the principal towns was 710—380 boys and 330 girls, of which 181 boys and 161 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 312 of which 124 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 11th March, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	417	211	15	127	5	.	.	.	.	.	.	.		20	4	7	19	1	14	141
DUBLIN COUNTY BOROUGH	539,476	250	101	10	53	3	.	.	.	.	.	.	.	.	12	.	3	7	.	8	68
DUN LAOGHAIRE BOROUGH	47,553	24	14	.	11	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.	8
CORK COUNTY BOROUGH	80,011	53	39	3	20	1	.	.	.	.	.	.	.	.	1	1	1	3	.	2	30
LIMERICK COUNTY BOROUGH	50,886	41	8	1	6	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5
WATERFORD COUNTY BOROUGH	28,878	2	11	.	7	.	.	.	.	.	.	.	.	.	2	.	1	2	.	2	4
GALWAY BOROUGH	21,219	7	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
DROGHEDA URBAN DISTRICT	17,008	8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	6	19	1	17	.	.	.	.	.	.	.	.	.	2	3	1	1	.	.	12
TRALEE URBAN DISTRICT	10,928	4	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
BRAY URBAN DISTRICT	10.856	8	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
WEXFORD URBAN DISTRICT	10,838	2	1	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	1	.
CLONMEL URBAN DISTRICT	10,697	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	433,800	151	103	6	69	.	.	.	.	.	—	—	.	.	—	2	20	8	.	—	—
DERRY	53,300	39	9	.	8	.	.	.	.	.	—	—	.	.	—	.	1	3	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 11th March, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	10	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	8
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3
45–64	30	2	.	.	.	.	.	.	.	.	4	.	.	2	.	3	19
65 and over	53	1	.	.	.	.	.	.	.	.	6	.	1	5	.	3	37
TOTAL	101	3	.	.	.	.	.	.	.	.	12	.	3	7	.	8	68
CORK COUNTY BOROUGH																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
45–64	12	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	9
65 and over	20	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	17
TOTAL	39	1	.	.	.	.	.	.	.	.	1	1	1	3	.	2	30
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
45–64	11	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1	4
65 and over	54	.	.	.	.	.	.	.	.	.	3	3	1	8	.	2	37
TOTAL	71	1	.	.	.	.	.	.	.	.	7	3	3	9	1	4	43

G970. D27704/3. G.70. 165.3/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 11. Vol. XCVIII | WEEK ENDED SATURDAY, 18th MARCH, 1961 | PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 419—217 boys and 202 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 151. Of these deaths, 2 were due to tuberculosis and 24 to malignant neoplasms. There were 4 accidental deaths, one of which was due to drowning.

Among the deaths of infants under one year, 4 were due to congenital malformation, 2 to prematurity, 2 to pneumonia, one to atelectasis, one to injury at birth, one to Rhesus incompatibility and one to congenital debility.

The total number of births registered during the week in the principal towns was 731—372 boys and 359 girls, of which 188 boys and 173 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 214 of which 125 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 18th March, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS.	872,058	419	151	14	105	2	.	.	.	1	.	.	.	1	24	1	7	17	.	4	94
DUBLIN COUNTY BOROUGH	539,476	252	101	8	68	2	.	.	.	.	.	.	.	.	19	.	4	12	.	3	61
DUN LAOGHAIRE BOROUGH	47,553	20	7	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	5
CORK COUNTY BOROUGH	80,011	44	13	.	13	.	.	.	.	.	.	.	.	.	2	1	.	4	.	.	6
LIMERICK COUNTY BOROUGH	50,886	15	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WATERFORD COUNTY BOROUGH	28,878	13	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
GALWAY BOROUGH	21,219	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	6	7	2	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	5
SLIGO URBAN DISTRICT	12,947	9	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
BRAY URBAN DISTRICT	10.856	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	15	6	1	3	.	.		.	.	.	.	.	.	1	.	2	1	.	.	2
CLONMEL URBAN DISTRICT	10,697	12	2	1	1	.	.	.		.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	11	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BELFAST	433,800	132	91	5	62	.	.	.	.	.	—	—	.	.	—	3	16	5	.	—	—
DERRY	53,300	23	10	2	5	.	.	.	.	.	—	—	.	.	—	.	3	3	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 18th March, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other form									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
45–64	19	2	.	.	.	.	.	.	.	.	5	.	.	2	.	1	9
65 and over	68	.	.	.	.	.	.	.	.	.	13	.	4	9	.	1	41
TOTAL	101	2	.	.	.	.	.	.	.	.	19	.	4	12	.	3	61
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65 and over	13	.	.	.	.	.	.	.	.	.	2	1	.	4	.	.	6
TOTAL	13	.	.	.	.	.	.	.	.	.	2	1	.	4	.	.	6
TWELVE OTHER TOWNS																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
1–4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
65 and over	24	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	21
TOTAL	37	.	.	.	.	1	.	.	.	1	3	.	3	1	.	1	27

G971. D27704/3. G.70. 165.3/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 12. Vol. XCVIII WEEK ENDED SATURDAY, 25th MARCH, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 427—226 boys and 201 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 204. Of these deaths, one was due to tuberculosis and 40 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to burns and one to a transport accident.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to pneumonia, 2 to prematurity, 2 to atelectasis, one to hyaline membrane disease and one enlarged thymus.

The total number of births registered during the week in the principal towns, was 769 — 394 boys and 375 girls, of which 223 boys and 198 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 307, of which 136 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 25th March, 1961, assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	872,058	427	204	14	133	1	.	.	.	.	.	.	1	1	40	3	9	12	.	4	133
DUBLIN COUNTY BOROUGH	539,476	285	109	11	63	1	.	.	.	.	.	.	1	1	23	.	4	7	.	4	68
DUN LAOGHAIRE BOROUGH	47,553	18	13	.	8	.	.	.	.	.	.	.	.	.	5	.	1	.	.	.	7
CORK COUNTY BOROUGH	80,011	23	15	.	13	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	10
LIMERICK COUNTY BOROUGH	50,886	42	22	2	13	.	.	.	.	.	.	.	.	.	3	.	3	.	.	.	16
WATERFORD COUNTY BOROUGH	28,878	5	6	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
GALWAY BOROUGH	21,219	8	6	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	3
DUNDALK URBAN DISTRICT	20,154	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	9	4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	11	15	.	13	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	12
TRALEE URBAN DISTRICT	10,928	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
WEXFORD URBAN DISTRICT	10,838	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
CLONMEL URBAN DISTRICT	10,697	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
KILKENNY URBAN DISTRICT	10,607	8	4	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
BELFAST	433,800	211	94	3	68	.	.	.	.	.	—	—	.	.	—	.	15	5	.	—	—
DERRY	53,300	31	15	.	10	.	.	.	.	.	—	—	.	.	—	.	.	1	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 25th March, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	11	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	9
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
15–24	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	2
45–64	24	.	.	.	.	.	.	.	.	1	5	.	.	1	.	1	16
65 and over	63	1	.	.	.	.	.	.	.	.	14	.	1	6	.	1	40
TOTAL	109	1	.	.	.	.	.	.	1	1	23	.	4	7	.	4	68
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
65 and over	13	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	9
TOTAL	15	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	10
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	15	.	.	.	.	.	.	.	.	.	6	.	.	1	.	.	8
65 and over	57	.	.	.	.	.	.	.	.	.	6	2	3	4	.	.	42
TOTAL	80	.	.	.	.	.	.	.	.	.	13	2	5	5	.	.	55

RECEI
4 - APR
Acc.

G972. D27704/3. G.70. 165.3/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 13. Vol. XCVIII WEEK ENDED SATURDAY, 1st APRIL, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 384—212 boys and 172 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 150. Of these deaths, 2 were due to tuberculosis and 21 to malignant neoplasms. There were 2 accidental deaths, one of which was due to carbon monoxide poisoning and one to a transport accident.

Among the deaths of infants under one year, 2 were due to pneumonia, one to prematurity, one to measles, one to gastro-enteritis and one to fibrocystic disease.

The total number of births registered during the week in the principal towns, was 753 — 395 boys and 358 girls, of which 183 boys and 160 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 267, of which 115 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 1st April, 1961, assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	384	150	6	99	1	1	·	·	·	·	·	2	2	21	3	6	13	1	2	98
DUBLIN COUNTY BOROUGH	539,476	219	84	2	55	1	1	·	·	·	·	·	2	1	11	·	3	7	·	2	56
DUN LAOGHAIRE BOROUGH	47,553	18	8	·	7	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	7
CORK COUNTY BOROUGH	80,011	39	20	1	13	·	·	·	·	·	·	·	·	1	5	1	·	2	1	·	10
LIMERICK COUNTY BOROUGH	50,886	31	8	·	5	·	·	·	·	·	·	·	·	·	2	1	·	2	·	·	3
WATERFORD COUNTY BOROUGH	28,878	27	6	·	4	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	4
GALWAY BOROUGH	21,219	6	3	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2
DUNDALK URBAN DISTRICT	20,154	3	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
DROGHEDA URBAN DISTRICT	17,008	8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
SLIGO URBAN DISTRICT	12,947	6	4	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3
TRALEE URBAN DISTRICT	10,928	2	5	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5
BRAY URBAN DISTRICT	10,856	4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
WEXFORD URBAN DISTRICT	10,838	7	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	3
CLONMEL URBAN DISTRICT	10,697	11	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
KILKENNY URBAN DISTRICT	10,607	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
BELFAST	433,800	168	92	6	58	1	·	·	·	·	—	—	·	·	—	1	14	2	·	—	—
DERRY	53,300	35	7	·	6	·	·	·	·	·	—	—	·	·	—	·	1	·	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 1st April, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	2	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
1–4	3	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2
5–14	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
15–24	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
25–44	5	·	1	·	·	·	·	·	·	·	3	·	·	·	·	·	1
45–64	18	1	·	·	·	·	·	·	·	1	2	·	·	1	·	1	12
65 and over	55	·	·	·	·	·	·	·	·	·	6	·	3	6	·	·	40
TOTAL	84	1	1	·	·	·	·	·	2	1	11	·	3	7	·	2	56
CORK COUNTY BOROUGH																	
Under 1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
1–4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
5–14	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
15–24	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
25–44	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
45–64	5	·	·	·	·	·	·	·	·	·	2	1	·	1	·	·	1
65 and over	13	·	·	·	·	·	·	·	·	·	3	·	·	1	·	·	9
TOTAL	20	·	·	·	·	·	·	·	·	1	5	1	·	2	1	·	10
TWELVE OTHER TOWNS																	
Under 1	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1
1–4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
5–14	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
15–24	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
25–44	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
45–64	9	·	·	·	·	·	·	·	·	·	2	·	·	2	·	·	5
65 and over	31	·	·	·	·	·	·	·	·	·	3	2	1	2	·	·	23
TOTAL	46	·	·	·	·	·	·	·	·	·	5	2	3	4	·	·	32

G1423. E30924/4. G.70. 165.4/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 14. Vol. XCVIII WEEK ENDED SATURDAY, 8th APRIL 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 287—149 boys and 138 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 164. Of these deaths, 4 were due to tuberculosis and 28 to malignant neoplasms. There were 4 accidental deaths, one of which was due to drowning.

Among the deaths of infants under one year, 2 were due to pneumonia, 2 to injury at birth, one to prematurity, one to peritonitis and one to congenital malformation.

The total number of births registered during the week in the principal towns, was 598 — 319 boys and 279 girls, of which 151 boys and 140 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 269, of which 131 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 8th April, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	287	164	7	115	3	1	·	·	·	·	·	·	1	28	·	7	9	·	4	111
DUBLIN COUNTY BOROUGH	539,476	182	97	5	72	2	·	·	·	·	·	·		·	18	·	6	6	·	4	61
DUN LAOGHAIRE BOROUGH	47,553	8	13	1	8	·	·	·	·	·	·	·	·	1	1	·	1	2	·	·	8
CORK COUNTY BOROUGH	80,011	29	22	1	12	·	1	·	·	·	·	·	·	·	4	·	·	1	·	·	16
LIMERICK COUNTY BOROUGH	50,886	18	8	·	5	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	5
WATERFORD COUNTY BOROUGH	28,878	1	6	·	4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	4
GALWAY BOROUGH	21,219	6	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
DUNDALK URBAN DISTRICT	20,154	8	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
DROGHEDA URBAN DISTRICT	17,008	11	2	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
SLIGO URBAN DISTRICT	12,947	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TRALEE URBAN DISTRICT	10,928	5	4	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
BRAY URBAN DISTRICT	10,856	7	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
WEXFORD URBAN DISTRICT	10,838	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL URBAN DISTRICT	10,697	2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
KILKENNY URBAN DISTRICT	10,607	5	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
*BELFAST	433,800	·	·	·	·	·	·	·	·	·	—	—	·	·	—	·	·	·	·	—	—
*DERRY	53,300	·	·	·	·	·	·	·	·	·	—	—	·	·	—	·	·	·	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 8th April, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1
45–64	15	.	.	.	.	.	.	.	.	.	6	.	.	1	.	1	7
65 and over	72	1	.	.	.	.	.	.	.	.	10	.	5	5	.	2	49
TOTAL	97	2	.	.	.	.	.	.	.	.	18	.	6	6	.	4	61
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	8	.	1	.	.	.	.	.	.	.	3	.	.	1	.	.	3
65 and over	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	12
TOTAL	22	.	1	.	.	.	.	.	.	.	4	.	.	1	.	.	16
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	12	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	9
65 and over	31	.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	25
TOTAL	45	1	.	.	.	.	.	.	.	1	6	.	1	2	.	.	34

G1424. E30924/4. G.70. 165.4/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 15. Vol. XCVIII WEEK ENDED SATURDAY, 15th APRIL 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 537—291 boys and 246 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 177. Of these deaths, 4 were due to tuberculosis and 27 to malignant neoplasms. There were 7 accidental deaths, 4 of which were due to transport accidents and 2 to carbon monoxide poisoning.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to prematurity, one to pneumonia, one to neo-natal infection and one to measles.

The total number of births registered during the week in the principal towns, was 876 — 466 boys and 410 girls, of which 298 boys and 267 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 265, of which 147 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 15th April, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	872,058	537	177	11	111	3	1	·	1	·	·	·	3	·	27	2	7	10	·	7	116
DUBLIN COUNTY BOROUGH	539,476	381	116	7	72	3	1	·	1	·	·	·	2	·	16	1	5	4	·	7	76
DUN LAOGHAIRE BOROUGH	47,553	18	10	·	9	·	·	·	·	·	·	·	·	·	·	1	·	3	·	·	6
CORK COUNTY BOROUGH	80,011	38	10	·	6	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	7
LIMERICK COUNTY BOROUGH	50,886	22	8	1	3	·	·	·	·	·	·	·	·	·	4	·	1	·	·	·	3
WATERFORD COUNTY BOROUGH	28,878	7	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3
GALWAY BOROUGH	21,219	14	6	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6
DUNDALK URBAN DISTRICT	20,154	7	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
DROGHEDA URBAN DISTRICT	17,008	14	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
SLIGO URBAN DISTRICT	12,947	5	6	·	5	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	3
TRALEE URBAN DISTRICT	10,928	9	3	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
BRAY URBAN DISTRICT	10,856	9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
WEXFORD URBAN DISTRICT	10,838	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
CLONMEL URBAN DISTRICT	10,697	5	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2
KILKENNY URBAN DISTRICT	10,607	4	4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	2
BELFAST	433,800	171	97	8	60	·	1	·	·	·	—	—	·	·	—	·	15	6	·	—	—
DERRY	53,300	39	14	2	10	·	·	·	·	·	—	—	·	·	—	·	3	1	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 15th April, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	5
1–4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
5–14	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	.	1	.	.	.	.	.	.	.	2	.	.	.	.	3	.
45–64	27	2	.	.	.	.	.	.	.	.	3	.	.	1	.	.	21
65 and over	72	1	.	.	.	.	.	.	.	.	11	1	4	3	.	3	49
TOTAL	116	3	1	.	1	.	.	.	2	.	16	1	5	4	.	7	76
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
65 and over	6	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	4
TOTAL	10	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	7
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
1–4	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
45–64	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	7
65 and over	33	.	.	.	.	.	.	.	.	.	5	1	1	5	.	.	21
TOTAL	51	.	.	.	.	.	.	.	1	.	9	1	2	5	.	.	33

G1425. E30924/4. G.70. 165.4/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 16. Vol. XCVIII WEEK ENDED SATURDAY, 22nd APRIL, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 439—218 boys and 221 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 187. Of these deaths, one was due to tuberculosis and 34 to malignant neoplasms. There was one accidental death.

Among the deaths of infants under one year, 6 were due to congenital malformation, 3 to prematurity, 3 to pneumonia, one to septicaemia, one to haemorrhagic disease, one to pulmonary oedema and one to upper respiratory infection.

The total number of births registered during the week in the principal towns, was 733 — 360 boys and 373 girls, of which 206 boys and 215 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 310, of which 179 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd April, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	439	187	16	118	1	·	·	·	·	·	·	·	1	34	·	8	8	·	1	134
DUBLIN COUNTY BOROUGH	539,476	279	122	10	75	1	·	·	·	·	·	·	·	·	23	·	7	7	·	1	83
DUN LAOGHAIRE BOROUGH	47,553	33	10	·	6	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	8
CORK COUNTY BOROUGH	80,011	48	19	2	14	·	·	·	·	·	·	·	·	·	5	·	1	·	·	·	13
LIMERICK COUNTY BOROUGH	50,886	24	7	·	6	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	6
WATERFORD COUNTY BOROUGH	28,878	18	12	3	6	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	11
GALWAY BOROUGH	21,219	4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
DUNDALK URBAN DISTRICT	20,154	14	5	·	4	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	3
DROGHEDA URBAN DISTRICT	17,008	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
SLIGO URBAN DISTRICT	12,947	·	4	·	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3
TRALEE URBAN DISTRICT	10,928	3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
BRAY URBAN DISTRICT	10,856	7	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
WEXFORD URBAN DISTRICT	10,838	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
CLONMEL URBAN DISTRICT	10,697	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
KILKENNY URBAN DISTRICT	10,607	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BELFAST	433,800	178	112	8	66	·	·	·	·	·	—	—	·	·	—	·	17	8	·	—	—
DERRY	53,300	37	7	1	3	·	·	·	·	·	—	—	·	·	—	·	·	1	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 22nd April, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	10	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	32	.	.	.	.	.	.	.	.	.	10	.	.	1	.	.	21
65 and over	75	.	.	.	.	.	.	.	.	.	10	.	5	5	.	1	54
TOTAL	122	1	.	.	.	.	.	.	.	.	23	.	7	7	.	1	83
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
65 and over	14	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	11
TOTAL	19	.	.	.	.	.	.	.	.	.	5	.	1	.	.	.	13
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	13	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	10
65 and over	29	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	25
TOTAL	46	.	.	.	.	.	.	.	.	1	6	.	.	1	.	.	38

G1426. E30924 '4. G.70. 165.4/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 17. Vol. XCVIII WEEK ENDED SATURDAY, 29th APRIL, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each own are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 441—214 boys and 227 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 185. Of these deaths, 3 were due to tuberculosis and 31 to malignant neoplasms. There were 8 accidental deaths, 3 of which were due to transport accidents and one to carbon monoxide poisoning. There were 3 suicides.

Among the deaths of infants under one year, 5 were due to congenital malformation, 4 to prematurity, 2 to pneumonia, one to toxaemia, one to haemolytic disease, one to hyaline membrane disease and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 725 — 362 boys and 363 girls, of which 200 boys and 221 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 269, of which 138 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 29th April, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	441	185	15	116	2	1	.	.	.	.	.	1	1	31	.	4	9	1	11	124
DUBLIN COUNTY BOROUGH	539,476	294	108	12	60	2	1	.	.	.	.	.	.	.	19	.	4	3	1	8	70
DUN LAOGHAIRE BOROUGH	47,553	29	14	.	9	.	.	.	.	.	.	.	1	1	3	.	.	2	.	.	7
CORK COUNTY BOROUGH	80,011	37	22	1	18	.	.	.	.	.	.	.	.	.	7	.	.	2	.	1	12
LIMERICK COUNTY BOROUGH	50,886	26	12	1	9	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	9
WATERFORD COUNTY BOROUGH	28,878	7	7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
GALWAY BOROUGH	21,219	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
SLIGO URBAN DISTRICT	12,947	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
TRALEE URBAN DISTRICT	10,928	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
WEXFORD URBAN DISTRICT	10,838	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	8	8	1	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	7
BELFAST	433,800	186	85	7	53	.	.	.	.	.	—	—	.	.	—	.	11	6	.	—	—
DERRY	53,300	39	12	1	8	.	.	.	.	.	—	—	.	.	—	.	—	1	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 29th April, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	9
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
45–64	30	1	.	.	.	.	.	.	.	.	13	.	.	.	.	4	12
65 and over	60	.	.	.	.	.	.	.	.	.	6	.	2	3	.	4	45
TOTAL	108	2	1	.	.	.	.	.	.	.	19	.	4	3	1	8	70
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
65 and over	18	.	.	.	.	.	.	.	.	.	6	.	.	1	.	.	11
TOTAL	22	.	.	.	.	.	.	.	.	.	7	.	.	2	.	1	12
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	10	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	7
65 and over	38	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	32
TOTAL	55	.	.	.	.	.	.	.	1	1	5	.	.	4	.	2	42

G1427. E30924/4. G.70. 165.4/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 18. Vol. XCVIII WEEK ENDED SATURDAY, 6th MAY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 503—276 boys and 227 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 164. Of these deaths, 23 were due to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 7 were due to congenital malformation, 6 to prematurity, 3 to pneumonia, 2 to injury at birth and one to haemolytic disease.

The total number of births registered during the week in the principal towns, was 953 — 502 boys and 451 girls, of which 206 boys and 178 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 249, of which 114 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 6th May, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	503	164	20	87	.	.	.	1	1	.	.	.	.	23	.	9	7	.	4	119
DUBLIN COUNTY BOROUGH	539,476	255	83	15	39	.	.	.	1	1	.	.	.	.	13	.	7	3	.	2	56
DUN LAOGHAIRE BOROUGH	47,553	26	15	2	7	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	10
CORK COUNTY BOROUGH	80,011	55	20	.	14	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	17
LIMERICK COUNTY BOROUGH	50,886	44	16	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	14
WATERFORD COUNTY BOROUGH	28,878	44	10	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	7
GALWAY BOROUGH	21,219	7	3	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	25	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	4	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
BRAY URBAN DISTRICT	10,856	6	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
CLONMEL URBAN DISTRICT	10,697	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	433,800	179	110	9	74	1	.	.	.	.	—	—	.	.	—	.	11	9	.	—	—
DERRY	53,300	27	5	2	2	.	.	.	.	.	—	—	.	.	—	.	.	1	.	—	—

Notes : The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 6th May, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	15	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	12
1–4	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
5–14	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	23	.	.	.	.	.	.	.	.	.	4	.	1	.	.	1	17
65 and over	39	.	.	.	.	.	.	.	.	.	8	.	2	3	.	1	25
TOTAL	83	.	.	.	1	1	.	.	.	.	13	.	7	3	.	2	56
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
65 and over	14	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	11
TOTAL	20	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	17
TWELVE OTHER TOWNS																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
45–64	16	.	.	.	.	.	.	.	.	.	3	.	.	2	.	1	10
65 and over	34	.	.	.	.	.	.	.	.	.	5	.	1	1	.	.	27
TOTAL	61	.	.	.	.	.	.	.	.	.	9	.	1	3	.	2	46

G1849. E30924/5. G.70. 165.5/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 19. Vol. XCVIII WEEK ENDED SATURDAY, 13th MAY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 404—210 boys and 194 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 146. Of these deaths, 35 were due to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents, one to carbon monoxide poisoning and one to burns.

Among the deaths of infants under one year, 2 were due to congenital malformation, 2 to prematurity, one to injury at birth and one to necrosis of liver.

The total number of births registered during the week in the principal towns, was 695 — 361 boys and 334 girls, of which 224 boys and 220 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 239, of which 123 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 13th May, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	404	146	6	99	.	.	.	.	.	.	.	.	.	35	1	2	8	.	4	96
DUBLIN COUNTY BOROUGH	539,476	293	92	5	62	.	.	.	.	.	.	.	.	.	19	1	2	5	.	4	61
DUN LAOGHAIRE BOROUGH	47,553	27	9	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	17	10	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	9
LIMERICK COUNTY BOROUGH	50,886	27	11	.	7	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	8
WATERFORD COUNTY BOROUGH	28,878	3	5	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
GALWAY BOROUGH	21,219	9	3	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	6	5	.	3	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1
DROGHEDA URBAN DISTRICT	17,008	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	3	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	5	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
WEXFORD URBAN DISTRICT	10,838	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
CLONMEL URBAN DISTRICT	10,697	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	433,800	191	71	5	44	.	.	.	.	.	—	—	.	.	—	.	9	8	.	—	—
DERRY	53,300	26	11	2	5	.	.	.	.	.	—	—	.	.	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 13th May, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2
45–64	20	.	.	.	.	.	.	.	.	.	10	.	.	.	.	1	9
65 and over	62	.	.	.	.	.	.	.	.	.	8	1	2	5	.	1	45
Total	92	.	.	.	.	.	.	.	.	.	19	1	2	5	.	4	61
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
Total	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	9
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	13	.	.	.	.	.	.	.	.	.	6	.	.	2	.	.	5
65 and over	30	.	.	.	.	.	.	.	.	.	10	.	.	.	.	.	20
Total	44	.	.	.	.	.	.	.	.	.	16	.	.	2	.	.	26

G1850. E30924/5. G.70. 165.5/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 20. Vol. XCVIII WEEK ENDED SATURDAY, 20th MAY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 463—232 boys and 231 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 155. Of these deaths, one was due to tuberculosis and 30 to malignant neoplasms. There were 10 accidental deaths, 4 of which were due to transport accidents, one to burns and one to drowning. There was one suicide.

Among the deaths of infants under one year, 4 were due to congenital malformation, 4 to prematurity, 3 to gastro-enteritis, 2 to pneumonia, one to upper respiratory infection, one to status lymphaticus, one to haemolytic disease and one to measles.

The total number of births registered during the week in the principal towns, was 835 — 412 boys and 423 girls, of which 231 boys and 236 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 232, of which 130 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 20th May, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	463	155	17	86	1	·	·	·	1	·	·	1	·	30	·	3	11	3	11	94
DUBLIN COUNTY BOROUGH	539,476	300	98	14	54	·	·	·	·	1	·	·	1	·	16	·	3	10	2	6	59
DUN LAOGHAIRE BOROUGH	47,553	24	7	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	6
CORK COUNTY BOROUGH	80,011	43	18	1	11	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	14
LIMERICK COUNTY BOROUGH	50,886	24	12	1	6	·	·	·	·	·	·	·	·	·	4	·	·	·	1	3	4
WATERFORD COUNTY BOROUGH	28,878	3	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3
GALWAY BOROUGH	21,219	8	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2
DUNDALK URBAN DISTRICT	20,154	9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
DROGHEDA URBAN DISTRICT	17,008	5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
SLIGO URBAN DISTRICT	12,947	11	3	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1
TRALEE URBAN DISTRICT	10,928	4	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
BRAY URBAN DISTRICT	10,856	6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
WEXFORD URBAN DISTRICT	10,838	15	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
CLONMEL URBAN DISTRICT	10,697	3	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
KILKENNY URBAN DISTRICT	10,607	8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BELFAST	433,800	196	79	7	43	·	·	·	·	·	—	—	·	·	—	·	16	—	1	—	—
DERRY	53,300	34	7	2	4	·	·	·	·	·	—	—	·	·	—	·	1	2	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 20th May, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	14	.	.	.	.	.	.	.	1	.	.	.	2	1	2	.	8
1–4	3	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
15–24	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2	2
25–44	7	.	.	.	.	.	.	.	.	.	8	.	.	1	.	.	9
45–64	18	.	.	.	.	.	.	.	.	.	5	.	1	7	.	3	38
65 and over	54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	98	.	.	.	.	1	.	.	1	.	16	.	3	10	2	6	59
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
65 and over	11	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	8
TOTAL	18	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	14
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
45–64	11	1	.	.	.	.	.	.	.	.	7	.	.	.	.	.	3
65 and over	21	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1	15
TOTAL	39	1	.	.	.	.	.	.	.	.	12	.	.	1	1	3	21

G1851. E30924/5. G.70. 165.5/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 21. Vol. XCVIII WEEK ENDED SATURDAY, 27th MAY, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 374—170 boys and 204 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 128. Of these deaths, 7 were due to tuberculosis and 23 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, one was due to congenital malformation, one to prematurity, one to hyaline membrane disease and one to meningitis.

The total number of births registered during the week in the principal towns, was 672 — 312 boys and 360 girls, of which 161 boys and 171 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 212, of which 116 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 27th May, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	374	128	4	80	6	1	.	.	.	.	.	.	.	23	.	1	5	.	4	88
DUBLIN COUNTY BOROUGH	539,476	228	88	3	51	4	1	.	.	.	.	.	.	.	15	.	1	5	.	3	59
DUN LAOGHAIRE BOROUGH	47,553	12	10	.	9	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	30	8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
LIMERICK COUNTY BOROUGH	50,886	20	6	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
WATERFORD COUNTY BOROUGH	28,878	35	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
GALWAY BOROUGH	21,219	9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	11	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DROGHEDA URBAN DISTRICT	17,008	11	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	1	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
WEXFORD URBAN DISTRICT	10,838	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
CLONMEL URBAN DISTRICT	10,697	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	433,800	153	85	5	44	1	.	.	.	.	—	—	.	.	—	.	13	5	.	—	—
DERRY	53,300	21	5	.	5	.	.	.	.	.	—	—	.	.	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 27th May, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
45–64	25	2	.	.	.	.	.	.	.	.	5	.	1	.	.	2	15
65 and over	51	2	.	.	.	.	.	.	.	.	9	.	.	5	.	1	34
TOTAL	88	4	1	.	.	.	.	.	.	.	15	.	1	5	.	3	59
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
65 and over	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
TOTAL	8	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	3
65 and over	24	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	19
TOTAL	32	2	.	.	.	.	.	.	.	.	6	.	.	.	.	1	23

G1852. E30924/5. G.70. 165.5/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 22. Vol. XCVIII WEEK ENDED SATURDAY, 3rd June, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 463—243 boys and 220 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 155. Of these deaths, 2 were due to tuberculosis and 31 to malignant neoplasms. There were 3 accidental deaths, 2 of which were due to transport accidents and one to burns.

Among the deaths of infants under one year, 2 were due to congenital malformation, 2 to prematurity and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 855 — 445 boys and 410 girls, of which 256 boys and 237 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 250, of which 119 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 3rd June, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	463	155	5	104	1	1	.	.	.	.	.	1	.	31	1	2	11	1	3	103
DUBLIN COUNTY BOROUGH	539,476	315	92	3	60	1	1	.	.	.	.	.	1	.	21	1	1	6	1	2	57
DUN LAOGHAIRE BOROUGH	47,553	24	7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	3
CORK COUNTY BOROUGH	80,011	50	20	2	12	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	17
LIMERICK COUNTY BOROUGH	50,886	27	15	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	13
WATERFORD COUNTY BOROUGH	28,878	3	6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	4
GALWAY BOROUGH	21,219	8	5	.	4	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1
DUNDALK URBAN DISTRICT	20,154	8	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DROGHEDA URBAN DISTRICT	17,008	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	1	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,928	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
BELFAST	433,800	193	82	5	51	2	.	.	.	.	—	—	.	.	—	.	10	7	.	—	—
DERRY	53,300	35	8	.	4	.	.	.	.	.	—	—	.	.	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 3rd June, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
1–4	3	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	21	1	.	.	.	.	.	.	.	.	6	.	.	2	.	1	11
65 and over	60	.	1	.	.	.	.	.	.	.	13	1	.	3	.	1	41
TOTAL	92	1	1	.	.	.	.	.	1	.	21	1	1	6	1	2	57
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
65 and over	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	11
TOTAL	20	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	17
TWELVE OTHER TOWNS																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	9	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	6
65 and over	32	.	.	.	.	.	.	.	.	.	4	.	1	4	.	1	22
TOTAL	43	.	.	.	.	.	.	.	.	.	7	.	1	5	.	1	29

G2335. E30924/6. G.70. 165.6/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 23. Vol. XCVIII WEEK ENDED SATURDAY, 10th June, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 430—208 boys and 222 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 157. Of these deaths, 4 were due to tuberculosis and 33 to malignant neoplasms. There were 2 accidental deaths, both of which were due to transport accidents.

Among the deaths of infants under one year, 6 were due to congenital malformation, 4 to prematurity, 3 to pneumonia, 2 to injury at birth, 2 atelectasis, one to haemorrhagic disease and one to haemolytic disease.

The total number of births registered during the week in the principal towns, was 749 — 381 boys and 368 girls, of which 170 boys and 187 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 243, of which 122 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 10th June, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of he respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	430	157	19	87	4	.	.	.	.	.	.	.	.	33	1	3	8	.	2	106
DUBLIN COUNTY BOROUGH	539,476	239	101	14	56	3	.	.	.	.	.	.	.	.	22	1	2	8	.	.	65
DUN LAOGHAIRE BOROUGH	47,553	13	14	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	11
CORK COUNTY BOROUGH	80,011	66	12	1	9	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	10
LIMERICK COUNTY BOROUGH ..	50,886	35	9	1	4	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	5
WATERFORD COUNTY BOROUGH	28,878	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
GALWAY BOROUGH	21,219	10	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	13	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
DROGHEDA URBAN DISTRICT	17,008	10	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	14	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	433,800	168	84	7	48	1	.	.	.	.	—	—	.	.	—	.	13	3	.	—	—
DERRY	53,300	31	13	.	8	2	.	.	.	.	—	—	.	.	—	.	1	2	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 10th June, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	14	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	12
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	1	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.
45–64	25	.	.	.	.	.	.	.	.	.	5	.	.	2	.	.	18
65 and over	56	2	.	.	.	.	.	.	.	.	13	1	.	6	.	.	34
TOTAL	101	3	.	.	.	.	.	.	.	.	22	1	2	8	.	.	65
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
65 and over	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
TOTAL	12	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	10
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
25–44	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3
45–64	10	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	8
65 and over	22	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	16
TOTAL	44	.	.	.	.	.	.	.	.	.	10	.	1	.	.	2	31

G2336. E30924/6. G.70. 165.6/61.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 24. Vol. XCVIII WEEK ENDED SATURDAY, 17th June, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 460—260 boys and 200 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 139. Of these deaths, 3 were due to tuberculosis and 29 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident and one to burns. There were two suicides.

Among the deaths of infants under one year, 3 were due to pneumonia, 2 to atelectasis, one to tuberous sclerosis, one to haemolytic disease, one to pneumothorax, one to mongolism, and one to hyaline membrane disease.

The total number of births registered during the week in the principal towns, was 787 — 430 boys and 357 girls, of which 249 boys and 199 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 223, of which 135 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 17th June, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	460	139	10	76	2	1	.	.	.	.	.	1	.	29	1	5	6	.	4	90
DUBLIN COUNTY BOROUGH	539,476	301	93	9	48	.	.	.	.	.	.	.	1	.	20	1	3	5	.	4	59
DUN LAOGHAIRE BOROUGH	47,553	37	10	.	8	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	7
CORK COUNTY BOROUGH .. .	80,011	45	11	.	7	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	8
LIMERICK COUNTY BOROUGH ..	50,886	14	4	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
WATERFORD COUNTY BOROUGH	28,878	11	6	.	4	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3
GALWAY BOROUGH	21,219	10	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DUNDALK URBAN DISTRICT	20,154	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	1	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	10	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	433,800	193	72	4	40	.	.	.	.	.	—	—	.	.	18	.	13	2	.	—	—
DERRY	53,300	36	9	.	5	.	.	.	.	.	—	—	.	.	3	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 17th June, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	6
1–4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
45–64	30	.	.	.	.	.	.	.	.	.	13	.	1	.	.	2	14
65 and over	48	.	.	.	.	.	.	.	.	.	7	1	.	3	.	1	36
TOTAL	93	.	.	.	.	.	.	.	1	.	20	1	3	5	.	4	59
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	5
TOTAL	11	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	8
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	9	1	1	.	.	.	.	.	.	.	3	.	.	.	.	.	4
65 and over	21	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	17
TOTAL	35	2	1	.	.	.	.	.	.	.	7	.	1	1	.	.	23

G2337. E30924/6. G.70. 165.6/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 25. Vol. XCVIII WEEK ENDED SATURDAY, 24th June, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 396—208 boys and 188 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 151. Of these deaths, one was due to tuberculosis and 26 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to drowning, one to a transport accident and one to burns.

Among the deaths of infants under one year, 4 were due to gastro-enteritis, 2 to congenital malformation, one to hernia, one to meningitis and one to immaturity.

The total number of births registered during the week in the principal towns, was 735 — 396 boys and 339 girls, of which 203 boys and 176 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 251, of which 112 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 24th June, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	396	151	9	101	1	·	·	·	·	·	1	·	2	26	·	3	8	5	5	100
DUBLIN COUNTY BOROUGH	539,476	237	74	4	49	·	·	·	·	·	·	·	·	·	12	·	2	2	3	2	53
DUN LAOGHAIRE BOROUGH	47,553	16	17	·	13	·	·	·	·	·	·	·	·	·	3	·	·	2	·	·	12
CORK COUNTY BOROUGH .. .	80,011	34	19	2	10	1	·	·	·	·	·	·	·	1	3	·	1	1	1	·	11
LIMERICK COUNTY BOROUGH ..	50,886	64	14	1	11	·	·	·	·	·	·	·	·	·	4	·	·	2	1	2	5
WATERFORD COUNTY BOROUGH .. .	28,878	6	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
GALWAY BOROUGH	21,219	6	5	·	5	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	3
DUNDALK URBAN DISTRICT .. .	20,154	16	5	·	3	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	3
DROGHEDA URBAN DISTRICT	17,008	·	3	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
SLIGO URBAN DISTRICT	12,947	9	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
TRALEE URBAN DISTRICT	10,928	6	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
BRAY URBAN DISTRICT	10,856	1	5	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	4
WEXFORD URBAN DISTRICT	10,838	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL URBAN DISTRICT	10,697	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KILKENNY URBAN DISTRICT	10,607	·	3	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2
BELFAST	433,800	159	87	6	52	2	·	·	·	·	—	—	·	·	16	·	12	2	1	—	—
DERRY	53,300	23	8	1	4	2	·	·	·	·	—	—	·	·	1	·	·	·	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 24th June, 1961, which were [illegible] and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	2
45–64	14	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	11
65 and over	49	.	.	.	.	.	.	.	.	.	8	.	2	1	.	.	38
TOTAL	74	.	.	.	.	.	.	.	.	.	12	.	2	2	3	2	53
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
65 and over	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	7
TOTAL	19	1	.	.	.	.	.	.	.	1	3	.	1	1	1	.	11
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
1–4	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	10	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	5
65 and over	42	.	.	.	.	.	.	.	.	1	7	.	.	4	.	2	28
TOTAL	58	.	.	.	.	.	.	1	.	1	11	.	.	5	1	3	36

G2338. E30924/6. G.70. 165.6/61.DOLLARD

UNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 26. Vol. XCVIII WEEK ENDED SATURDAY, 1st July, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 413—222 boys and 191 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 167. Of these deaths, one was due to tuberculosis and 21 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents and one to drowning. There was one suicide.

Among the deaths of infants under one year, 4 were due to pneumonia, 3 to congenital malformation, 3 to prematurity, one to atelectasis and one to birth injury.

The total number of births registered during the week in the principal towns, was 736 — 416 boys and 320 girls, of which 182 boys and 157 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 250, of which 105 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 1st July, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
				Under 1 year of age	65 years and upwards	CAUSED BY															
						Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	413	167	12	106	1	.	.	.	.	.	.	1	.	21	1	13	3	.	7	120
DUBLIN COUNTY BOROUGH	539,476	220	82	6	55	.	.	.	.	.	.	.	1	.	12	.	7	1	.	5	56
DUN LAOGHAIRE BOROUGH	47,553	26	6	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4
CORK COUNTY BOROUGH	80,011	37	23	4	14	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	21
LIMERICK COUNTY BOROUGH .. .	50,886	24	6	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3
WATERFORD COUNTY BOROUGH	28,878	23	11	1	8	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	6
GALWAY BOROUGH	21,219	14	7	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	4
DUNDALK URBAN DISTRICT	20,154	18	7	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
DROGHEDA URBAN DISTRICT	17,008	16	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
SLIGO URBAN DISTRICT	12,947	.	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
TRALEE URBAN DISTRICT	10,928	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
BRAY URBAN DISTRICT	10,856	7	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	7	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
CLONMEL URBAN DISTRICT	10,697	18	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	433,800	158	77	3	52	.	.	.	.	.	—	—	.	.	—	.	14	.	1	—	—
DERRY	53,300	34	8	.	6	.	.	.	.	.	—	—	.	.	—	.	1	.	.	—	—

TABLE 2.—Deaths registered during week ended Saturday, 1st July, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
1–4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	7	.	.	.	.	5	6
45–64	18	.	.	.	.	.	.	.	.	.	5	.	5	1	.	.	44
65 and over	55	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	82	.	.	.	.	.	.	.	1	.	12	.	7	1	.	5	56
CORK COUNTY BOROUGH																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
45–64	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	13
65 and over	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	23	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	21
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
25–44	5	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	11
45–64	17	1	.	.	.	.	.	.	.	.	3	.	4	2	.	1	27
65 and over	37	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	62	1	.	.	.	.	.	.	.	.	8	.	6	2	.	2	43

G3068. E30924/7. G.70. 165.7/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 27. Vol. XCVIII WEEK ENDED SATURDAY, 8th July, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 400—216 boys and 184 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 155. Of these deaths, 32 were due to malignant neoplasms. There were 7 accidental deaths, 3 of which were due to transport accidents, 2 to carbon monoxide poisoning, one to drowning and one to burns.

Among the deaths of infants under one year, 4 were due to atelectasis, 2 to congenital malformation, 2 to pneumonia, one to mongolism, one to respiratory failure and one to prematurity.

The total number of births registered during the week in the principal towns, was 762 — 388 boys and 374 girls, of which 206 boys and 200 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 247, of which 136 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 8th July, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	400	155	11	100	·	·	·	·	·	·	·	·	1	32	·	5	9	·	7	101
DUBLIN COUNTY BOROUGH	539,476	236	102	9	64	·	·	·	·	·	·	·	·	1	21	·	3	5	·	6	66
DUN LAOGHAIRE BOROUGH	47,553	30	7	·	6	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	5
CORK COUNTY BOROUGH	80,011	45	14	1	7	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	11
LIMERICK COUNTY BOROUGH	50,886	19	10	·	8	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	7
WATERFORD COUNTY BOROUGH	28,878	3	6	·	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	4
GALWAY BOROUGH	21,219	9	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
DUNDALK URBAN DISTRICT	20,154	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
DROGHEDA URBAN DISTRICT	17,008	12	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
SLIGO URBAN DISTRICT	12,947	17	2	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
TRALEE URBAN DISTRICT	10,928	3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
BRAY URBAN DISTRICT	10,856	6	3	·	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1
WEXFORD URBAN DISTRICT	10,838	9	6	·	5	·	·	·	·	·	·	·	·	·	4	·	·	1	·	·	1
CLONMEL URBAN DISTRICT	10,697	7	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KILKENNY URBAN DISTRICT	10,607	2	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
BELFAST	433,800	165	56	3	40	·	·	·	·	·	—	—	·	·	—	·	5	2	·	—	—
DERRY	53,300	32	7	·	5	·	·	·	·	·	—	—	·	·	—	·	·	2	·	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information

TABLE 2.—Deaths registered during week ended Saturday, 8th July, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
45–64	22	.	.	.	.	.	.	.	.	.	7	.	.	1	.	3	11
65 and over	64	.	.	.	.	.	.	.	.	1	13	.	1	4	.	1	44
TOTAL	102	.	.	.	.	.	.	.	.	1	21	.	3	5	.	6	66
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
65 and over	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
TOTAL	14	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	11
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1
65 and over	29	.	.	.	.	.	.	.	.	.	6	.	1	3	.	.	19
TOTAL	39	.	.	.	.	.	.	.	.	.	10	.	1	3	.	1	24

G3069. E30924/7. G.70. 165.7/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 28. Vol. XCVIII WEEK ENDED SATURDAY, 15th July, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 455—245 boys and 210 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 104. Of these deaths, 4 were due to tuberculosis and 22 to malignant neoplasms. There were 4 accidental deaths.

Among the deaths of infants under one year, 2 were due to congenital malformation and 2 to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 767 — 423 boys and 344 girls, of which 251 boys and 196 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 172, of which 78 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 15th July, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	455	104	5	63	4	.	.	.	.	.	.	.	.	22	.	4	8	3	4	59
DUBLIN COUNTY BOROUGH	539,476	304	54	2	32	3	.	.	.	.	.	.	.	.	14	.	1	4	1	.	31
DUN LAOGHAIRE BOROUGH	47,553	21	9	3	4	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	4
CORK COUNTY BOROUGH .. .	80,011	42	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	4
LIMERICK COUNTY BOROUGH ..	50,886	11	5	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3
WATERFORD COUNTY BOROUGH .. .	28,878	32	12	.	10	.	.	.	.	.	.	.	.	.	3	.	.	1	.	2	6
GALWAY BOROUGH	21,219	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
DUNDALK URBAN DISTRICT	20,154	7	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
SLIGO URBAN DISTRICT	12,947	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
TRALEE URBAN DISTRICT	10,928	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	8	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
CLONMEL URBAN DISTRICT	10,697	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	433,800	184	62	5	43	1	.	.	.	.	—	—	.	.	8	.	9	3	.	—	—
DERRY	53,300	37	11	.	9	.	.	.	.	.	—	—	.	.	2	.	.	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 15th July, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
45–64	16	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.	9
65 and over	32	1	.	.	.	.	.	.	.	.	10	.	.	1	.	.	20
TOTAL	54	3	.	.	.	.	.	.	.	.	14	.	1	4	1	.	31
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
65 and over	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3
TOTAL	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	4
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
45–64	12	.	.	.	.	.	.	.	.	.	2	.	2	2	.	.	6
65 and over	26	.	.	.	.	.	.	.	.	.	6	.	1	1	.	1	17
TOTAL	44	1	.	.	.	.	.	.	.	.	8	.	3	3	2	3	24

G3070. E30924/7. G.70. 165.7/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 29. Vol. XCVIII WEEK ENDED SATURDAY, 22nd July, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 300—151 boys and 149 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 126. Of these deaths, 28 were due to malignant neoplasms. There were 2 accidental deaths, one of which was due to burns. There was one suicide.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to pneumonia, one to haemolytic disease, one to hyaline membane disease and one to prematurity.

The total number of births registered during the week in the principal towns, was 556 — 290 boys and 266 girls, of which 149 boys and 114 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 317, of which 206 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd July, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	300	126	9	72	.	.	.	.	.	.	.	.	.	28	.	4	4	.	3	87
DUBLIN COUNTY BOROUGH	539,476	163	78	8	42	.	.	.	.	.	.	.	.	.	20	.	2	2	.	3	51
DUN LAOGHAIRE BOROUGH	47,553	13	11	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	10
CORK COUNTY BOROUGH	80,011	53	18	.	10	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	13
LIMERICK COUNTY BOROUGH	50,886	12	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
WATERFORD COUNTY BOROUGH	28,878	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
GALWAY BOROUGH	21,219	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	7	6	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
DROGHEDA URBAN DISTRICT	17,008	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	13	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	9	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
BRAY URBAN DISTRICT	10,856	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	433,800	174	87	4	56	.	.	.	.	.	—	—	.	.	16	.	12	6	.	—	—
DERRY	53,300	43	4	1	2	.	.	.	.	.	—	—	.	.	1	.	.	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 22nd July, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	6
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3
45–64	21	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	14
65 and over	42	.	.	.	.	.	.	.	.	.	11	.	.	2	.	2	27
TOTAL	78	.	.	.	.	.	.	.	.	.	20	.	2	2	.	3	51
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
65 and over	10	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	8
TOTAL	18	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	13
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
65 and over	20	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	16
TOTAL	30	.	.	.	.	.	.	.	.	.	4	.	2	1	.	.	23

G3071. E30924/7. G.70. 165.7/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 30. Vol. XCVIII WEEK ENDED SATURDAY, 29th July, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 457—230 boys and 227 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 144. Of these deaths, 24 were due to malignant neoplasms and one to tuberculosis. There were 4 accidental deaths, one of which was due to a transport accident and 2 to carbon monoxide poisoning.

Among the deaths of infants under one year, 5 were due to pneumonia, 3 to congenital malformation, 3 to hyaline membane disease, 3 to prematurity, 3 to injury at birth, 2 to gastro-enteritis and one to atelectasis.

The total number of births registered during the week in the principal towns, was 761 — 388 boys and 373 girls, of which 254 boys and 254 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 219, of which 125 were egistered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 29th July, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	457	144	23	73	·	1	·	·	·	·	·	·	·	24	·	9	3	2	4	101
DUBLIN COUNTY BOROUGH	539,476	335	91	18	40	·	1	·	·	·	·	·	·	·	15	·	6	1	1	3	64
DUN LAOGHAIRE BOROUGH	47,553	25	12	1	9	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	10
CORK COUNTY BOROUGH .. .	80,011	33	19	2	12	·	·	·	·	·	·	·	·	·	2	·	·	2	·	1	14
LIMERICK COUNTY BOROUGH ..	50,886	9	6	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	4
WATERFORD COUNTY BOROUGH	28,878	3	6	·	3	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	3
GALWAY BOROUGH	21,219	8	5	·	3	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	3
DUNDALK URBAN DISTRICT	20,154	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
DROGHEDA URBAN DISTRICT	17,008	9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO URBAN DISTRICT	12,947	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
TRALEE URBAN DISTRICT	10,928	6	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
BRAY URBAN DISTRICT	10,856	8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
WEXFORD URBAN DISTRICT	10,838	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL URBAN DISTRICT	10,697	16	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KILKENNY URBAN DISTRICT	10,607	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
BELFAST	433,800	160	79	5	·	·	·	·	·	·	—	—	·	·	·	·	14	·	·	—	—
DERRY	53,300	·	·	·	·	·	·	·	·	·	—	—	·	·	·	·	·	·	·	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 29th July, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	18	.	.	.	.	.	.	.	.	.	.	.	4	.	1	1	12
1–4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
45–64	26	.	.	.	.	.	.	.	.	.	9	.	.	.	.	1	16
65 and over	40	.	.	.	.	.	.	.	.	.	6	.	2	1	.	.	31
TOTAL	91	.	1	.	.	.	.	.	.	.	15	.	6	1	1	3	64
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
45–64	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
65 and over	12	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	10
TOTAL	19	.	.	.	.	.	.	.	.	.	2	.	.	2	.	1	14
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	8	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	3
65 and over	21	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	18
TOTAL	34	.	.	.	.	.	.	.	.	.	7	.	3	.	1	.	23

RECEIVED
8 AUG 1941
Acc. No. .....

G3071. E30924/7. G.70. 165.7/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 31. Vol. XCVIII WEEK ENDED SATURDAY, 5th August, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 427—236 boys and 191 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 146. Of these deaths, 27 were due to malignant neoplasms and 4 to tuberculosis. There were 4 accidental deaths, one of which was due to burns.

Among the deaths of infants under one year, 2 were due to pneumonia, 3 to prematurity, 2 to gastro-enteritis, 2 to atelectasis, one to injury at birth, one to marasmus and one to enlarged thymus.

The total number of births registered during the week in the principal towns, was 817 — 432 boys and 385 girls, of which 195 boys and 166 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 245, of which 98 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 5th August, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	427	146	12	94	4	.	.	.	.	.	.	1	.	27	.	2	9	2	4	97
DUBLIN COUNTY BOROUGH	539,476	247	76	8	50	3	.	.	.	.	.	.	1	.	12	.	1	6	.	.	53
DUN LAOGHAIRE BOROUGH	47,553	14	10	1	5	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	6
CORK COUNTY BOROUGH	80,011	43	14	1	9	.	.	.	.	.	.	.	.	.	1	.	.	.	1	3	9
LIMERICK COUNTY BOROUGH	50,886	52	18	1	13	.	.	.	.	.	.	.	.	.	4	.	.	2	1	.	11
WATERFORD COUNTY BOROUGH	28,878	23	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
GALWAY BOROUGH	21,219	8	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
DUNDALK URBAN DISTRICT	20,154	11	7	.	5	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	3
DROGHEDA URBAN DISTRICT	17,008	11	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	7	8	.	3	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5
BELFAST	433,800	177	88	2	44	1	.	.	.	.	—	—	.	.	15	.	16	7	.	—	—
DERRY	53,300	20	12	1	6	.	.	.	.	.	—	—	.	.	2	.	2	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 5th August, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
1–4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	13	1	.	.	.	.	.	.	.	.	4	.	.	.	.	.	8
65 and over	50	2	.	.	.	.	.	.	.	.	8	.	.	6	.	.	34
Total	76	3	.	.	.	.	.	.	1	.	12	.	1	6	.	.	53
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
65 and over	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	8
Total	14	.	.	.	.	.	.	.	.	.	1	.	.	.	1	3	9
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	16	.	.	.	.	.	.	.	.	.	10	.	.	.	.	.	6
65 and over	35	1	.	.	.	.	.	.	.	.	4	.	.	3	.	1	26
Total	56	1	.	.	.	.	.	.	.	.	14	.	1	3	1	1	35

RECEIVED
14 AUG 1961
Ansd

G3071. E30924/7. G.70. 165.8/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 32. Vol. XCVIII WEEK ENDED SATURDAY, 12th AUGUST, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 421—217 boys and 204 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 104. Of these deaths, 16 were due to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents and 2 to drowning.

Among the deaths of infants under one year, 3 were due to pneumonia, 3 to congenital malformation, 3 to haemolytic disease of newborn, one to gastro-enteritis, one to atelectasis, and one to prematurity.

The total number of births registered during the week in the principal towns, was 756 — 384 boys and 372 girls, of which 232 boys and 217 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 176, of which 113 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 12th August, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	421	104	12	62	.	.	.	.	.	.	.	.	1	16	.	8	5	1	6	67
DUBLIN COUNTY BOROUGH	539,476	282	78	10	46	.	.	.	.	.	.	.	.	1	13	.	4	5	1	5	49
DUN LAOGHAIRE BOROUGH	47,553	32	6	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4
CORK COUNTY BOROUGH .. .	80,011	50	8	.	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	6
LIMERICK COUNTY BOROUGH ..	50,886	17	4	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1
WATERFORD COUNTY BOROUGH ..	28,878	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
GALWAY BOROUGH	21,219	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
BELFAST	433,800	146	73	3	44	.	1	.	.	.	—	—	.	.	13	.	11	.	.	—	—
DERRY	53,300	19	11	.	9	.	.	.	.	.	—	—	.	.	1	.	.	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 12th August, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	10	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	15	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	10
65 and over	46	.	.	.	.	.	.	.	.	1	8	.	2	3	.	2	30
TOTAL	78	.	.	.	.	.	.	.	.	1	13	.	4	5	1	5	49
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
65 and over	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
TOTAL	8	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	6
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2
65 and over	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9
TOTAL	18	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1	12

RECEIVED
7 APR 1961

G3377. E30924/8. G.70. 165.8/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 33. Vol. XCVIII WEEK ENDED SATURDAY, 19th AUGUST, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 395—206 boys and 189 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 117. Of these deaths, 2 were due to tuberculosis and 31 to malignant neoplasms. There was one accidental death.

Among the deaths of infants under one year, 3 were due to prematurity, 2 to congenital malformation, one to atelectasis, one to injury at birth and one to rhesus incompatability.

The total number of births registered during the week in the principal towns was 737 — 377 boys and 360 girls, of which 176 boys and 153 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 188, of which 88 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 19th August, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	395	117	8	63	2	.	.	.	.	.	.	.	1	31	.	1	6	.	1	75
DUBLIN COUNTY BOROUGH	539,476	216	65	5	32	1	.	.	.	.	.	.	.	.	19	.	.	4	.	1	40
DUN LAOGHAIRE BOROUGH	47,553	25	4	.	4	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1
CORK COUNTY BOROUGH .. .	80,011	24	18	1	9	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	13
LIMERICK COUNTY BOROUGH ..	50,886	51	12	.	7	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	7
WATERFORD COUNTY BOROUGH	28,878	6	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
GALWAY BOROUGH	21,219	12	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	19	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	12	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	5	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
BELFAST	433,800	171	62	4	34	2	1	.	.	.	—	—	.	.	16	.	7	2	2	—	—
DERRY	53,300	39	2	.	2	.	.	.	.	.	—	—	.	.	1	.	.	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 19th August, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	23	.	.	.	.	.	.	.	.	.	9	.	.	1	.	.	13
65 and over	32	.	.	.	.	.	.	.	.	.	8	.	.	3	.	1	20
TOTAL	65	1	.	.	.	.	.	.	.	.	19	.	.	4	.	1	40
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	3
65 and over	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
TOTAL	18	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	13
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	9	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	7
65 and over	22	.	.	.	.	.	.	.	.	1	7	.	1	1	.	.	12
TOTAL	34	.	.	.	.	.	.	.	.	1	9	.	1	1	.	.	22

RECEIVED
2 AUG 1961

G3378. E30924/8. G.70. 165.8/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 34. Vol. XCVIII WEEK ENDED SATURDAY, 26th AUGUST, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 445—226 boys and 219 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 126. Of these deaths, 3 were due to tuberculosis and 28 to malignant neoplasms.

Among the deaths of infants under one year, 2 were due to congenital malformation, one to atelectasis, one to injury at birth, one to pneumonia and one to prematurity.

The total number of births registered during the week in the principal towns was 817 — 415 boys and 402 girls, of which 195 boys and 200 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 217, of which 102 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 26th August, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	445	126	8	84	3	.	.	.	.	.	.	.	.	28	.	6	5	.	.	84
DUBLIN COUNTY BOROUGH	539,476	258	72	5	44	2	.	.	.	.	.	.	.	.	19	.	3	2	.	.	46
DUN LAOGHAIRE BOROUGH	47,553	30	10	.	9	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	7
CORK COUNTY BOROUGH	80,011	49	21	1	16	1	.	.	.	.	.	.	.	.	2	.	1	1	.	.	16
LIMERICK COUNTY BOROUGH	50,886	9	3	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
WATERFORD COUNTY BOROUGH	28,878	8	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
GALWAY BOROUGH	21,219	7	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	11	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	13	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	5	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	20	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
CLONMEL URBAN DISTRICT	10,697	14	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	3	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
BELFAST	433,800	165	60	9	37	.	.	.	.	.	—	—	.	.	17	.	4	2	.	—	—
DERRY	53,300	25	11	.	10	.	.	.	.	.	—	—	.	.	3	.	1	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 26th August, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
45–64	19	.	.	.	.	.	.	.	.	.	9	.	1	.	.	.	9
65 and over	44	2	.	.	.	.	.	.	.	.	10	.	1	2	.	.	29
TOTAL	72	2	.	.	.	.	.	.	.	.	19	.	3	2	.	.	46
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	16	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	12
TOTAL	21	1	.	.	.	.	.	.	.	.	2	.	1	1	.	.	16
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
65 and over	24	.	.	.	.	.	.	.	.	.	5	.	2	2	.	.	15
TOTAL	33	.	.	.	.	.	.	.	.	.	7	.	2	2	.	.	22

RECEIVED
- 4 SEP 1961
Acc. No.

G3379. E30924/8. G.70. 165.8/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 35. Vol. XCVIII WEEK ENDED SATURDAY, 2nd SEPTEMBER, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 411—199 boys and 212 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 146. Of these deaths, 4 were due to tuberculosis and 25 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to gastro-enteritis, 3 to pneumonia, 2 to atelectasis, one to haemolytic disease, one to hyaline membrane disease and one to prematurity.

The total number of births registered during the week in the principal towns was 766 — 391 boys and 375 girls, of which 202 boys and 191 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 228, of which 120 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd SEPTEMBER, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	411	146	16	84	4	.	.	.	.	.	.	.	.	25	.	4	1	3	3	106
DUBLIN COUNTY BOROUGH	539,476	248	90	13	49	4	.	.	.	.	.	.	.	.	15	.	4	.	3	2	62
DUN LAOGHAIRE BOROUGH	47,553	21	10	1	5		.	.	.	.	.	.	.	.	4	.	.	.	.	.	6
CORK COUNTY BOROUGH .. .	80,011	24	18	2	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	16
LIMERICK COUNTY BOROUGH ..	50,886	53	8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	6
WATERFORD COUNTY BOROUGH .. .	28,878	14	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
GALWAY BOROUGH	21,219	10	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DUNDALK URBAN DISTRICT	20,154	5	5	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	11	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	2	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
BELFAST	433,800	165	72	3	44	1	.	.	.	.	—	—	.	.	14	.	9	4	.	—	—
DERRY	53,300	34	4	.	4	.	.	.	.	.	—	—	.	.	.	.	1	1	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 2nd SEPTEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	25	1	.	.	.	.	.	.	.	.	8	.	.	.	.	1	15
65 and over	49	3	.	.	.	.	.	.	.	.	7	.	1	.	.	1	37
Total	90	4	.	.	.	.	.	.	.	.	15	.	4	.	3	2	62
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
65 and over	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	10
Total	18	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	16
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	11	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	7
65 and over	23	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	18
Total	38	.	.	.	.	.	.	.	.	.	9	.	.	1	.	.	28

RECEIVED
11 SEP 1961

G3769. E30924/8. G.70. 165.8/61.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

;UNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 36. Vol. XCVIII WEEK ENDED SATURDAY, 9th SEPTEMBER, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 322—167 boys and 155 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 105. Of these deaths, 2 were due to tuberculosis and 19 to malignant neoplasms. There were 2 accidental deaths, both of which were due to transport accidents.

Among the deaths of infants under one year, 2 were due to congenital malformation, 2 to placental infarction and one to prematurity.

The total number of births registered during the week in the principal towns was 590 — 322 boys and 268 girls, of which 166 boys and 129 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 179, of which 82 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 9th SEPTEMBER, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	322	105	5	72	1	1	.	.	.	.	.	.	.	19	.	8	5	.	2	69
DUBLIN COUNTY BOROUGH	539,476	191	59	1	39	1	.	.	.	.	.	.	.	.	15	.	3	2	.	2	36
DUN LAOGHAIRE BOROUGH	47,553	18	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
CORK COUNTY BOROUGH .. .	80,011	33	13	.	9	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	8
LIMERICK COUNTY BOROUGH ..	50,886	6	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
WATERFORD COUNTY BOROUGH	28,878	30	9	2	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	7
GALWAY BOROUGH	21,219	3	4	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
DUNDALK URBAN DISTRICT	20,154	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	16	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
SLIGO URBAN DISTRICT	12,947	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BRAY URBAN DISTRICT	10,856	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
KILKENNY URBAN DISTRICT	10,607	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	433,800	172	53	3	33	.	.	.	.	.	—	—	.	.	7	.	3	3	.	—	—
DERRY	53,300	25	8	1	4	.	.	.	.	.	—	—	.	.	3	.	.	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 9th SEPTEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
45–64	15	.	.	.	.	.	.	.	.	.	6	.	.	1	.	1	7
65 and over	39	1	.	.	.	.	.	.	.	.	8	.	3	1	.	.	26
TOTAL	59	1	.	.	.	.	.	.	.	.	15	.	3	2	.	2	36
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
65 and over	9	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	7
TOTAL	13	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	8
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4
65 and over	24	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	17
TOTAL	33	.	1	.	.	.	.	.	.	.	1	.	3	3	.	.	25

G3770. E30924/9. G.70. 165.9/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 37. Vol. XCVIII WEEK ENDED SATURDAY, 16th SEPTEMBER, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 442—218 boys and 224 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 127. Of these deaths, one was due to tuberculosis and 28 to malignant neoplasms. There were 7 accidental deaths, 3 of which were due to transport accidents and one to burns.

Among the deaths of infants under one year, 5 were due to atelectasis, 4 to congenital malformation, 3 to injury at birth, one to congenital debility and one to prematurity.

The total number of births registered during the week in the principal towns was 775 — 380 boys and 395 girls, of which 250 boys and 240 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 210, of which 112 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 16th SEPTEMBER, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	442	127	14	80	1	.	.	.	.	.	.	.	1	28	.	.	6	.	7	84
DUBLIN COUNTY BOROUGH	539,476	318	85	9	53	1	.	.	.	.	.	.	.	1	16	.	.	5	.	7	55
DUN LAOGHAIRE BOROUGH	47,553	14	8	.	6	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	4
CORK COUNTY BOROUGH .. .	80,011	33	14	2	9	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	10
LIMERICK COUNTY BOROUGH ..	50,886	18	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WATERFORD COUNTY BOROUGH	28,878	7	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
GALWAY BOROUGH	21,219	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
TRALEE URBAN DISTRICT	10,928	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	6	4	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	433,800	155	78	8	50	1	.	.	.	.	—	—	.	.	10	.	13	4	.	.	.
DERRY	53,300	34	11	1	6	.	.	.	.	.	—	—	.	.	.	.	.	1	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 16th SEPTEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
1–4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
45–64	19	1	.	.	.	.	.	.	.	.	10	.	.	1	.	.	7
65 and over	53	.	.	.	.	.	.	.	.	.	4	.	.	4	.	6	39
TOTAL	85	1	.	.	.	.	.	.	.	1	16	.	.	5	.	7	55
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
65 and over	9	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	7
TOTAL	14	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	10
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
65 and over	18	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	11
TOTAL	28	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	19

G3771. E30924/9. G.70. 165.9/61.DOLLARD

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 38. Vol. XCVIII WEEK ENDED SATURDAY, 23rd SEPTEMBER, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 359—183 boys and 176 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 120. Of these deaths, one was due to tuberculosis and 29 to malignant neoplasms. There were 5 accidental deaths, one of which was due to drowning.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to pneumonia, one to prematurity, one to atelectasis, one to injury at birth, one to malignant neoplasm, one to asphyxia, one to purpura and one to convulsions.

The total number of births registered during the week in the principal towns was 667 — 337 boys and 330 girls, of which 185 boys and 165 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 199, of which 116 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd SEPTEMBER, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																		
						CAUSED BY																
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	359	120	13	75	.	1	.	.	.	.	.	.	.	29	.	4	4	.	5	77
DUBLIN COUNTY BOROUGH	539,476	210	90	11	59	.	1	.	.	.	.	.	.	.	17	.	4	4	.	5	59
DUN LAOGHAIRE BOROUGH	47,553	21	5	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
CORK COUNTY BOROUGH .. .	80,011	40	8	.	4	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5
LIMERICK COUNTY BOROUGH ..	50,886	10	5	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
WATERFORD COUNTY BOROUGH .. .	28,878	28	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
GALWAY BOROUGH	21,219	6	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
DUNDALK URBAN DISTRICT	20,154	9	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	5	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BELFAST	433,800	167	59	3	48	.	.	.	.	.	—	—	.	.	14	.	5	2	.	.	.
DERRY	53,300	31	8	.	5	.	.	.	.	.	—	—	.	.	1	.	2	1	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 23rd SEPTEMBER, 1961, which were assigned to Dublin and Cork County Borough and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
		DUBLIN COUNTY BOROUGH															
Under 1	11	.	.	.	.	.	.	.	.	.	1	.	3	.	.	1	6
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	17	.	1	.	.	.	.	.	.	.	2	.	1	1	.	.	12
65 and over	59	.	.	.	.	.	.	.	.	.	14	.	.	3	.	3	39
TOTAL	90	.	1	.	.	.	.	.	.	.	17	.	4	4	.	5	59
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
65 and over	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
TOTAL	8	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3
65 and over	12	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	8
TOTAL	22	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	13

G3772. E30924 9. G.70. 165.9/61.DOLLARD

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 39. Vol. XCVIII WEEK ENDED SATURDAY, 30th SEPTEMBER, 1961 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 331—162 boys and 169 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 150. Of these deaths, 6 were due to tuberculosis and 24 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to drowning and one to a transport accident.

Among the deaths of infants under one year, 5 were due to prematurity, 4 to congenital malformation, 2 to injury at birth, one to atelectasis, and one to galactosaemia.

The total number of births registered during the week in the principal towns was 624—315 boys and 309 girls, of which 161 boys and 166 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 240, of which 124 were registered in Dublin County Borough.

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 30th SEPTEMBER, 1961, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	864,861	331	150	13	79	6	.	.	.	.	.	.	.	1	24	1	3	7	.	4	104
DUBLIN COUNTY BOROUGH	535,488	214	91	9	51	5	.	.	.	.	.	.	.	.	18	1	3	4	.	2	58
DUN LAOGHAIRE BOROUGH	47,803	9	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
CORK COUNTY BOROUGH	77,860	37	14	1	9	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	11
LIMERICK COUNTY BOROUGH	50,497	18	14	.	6	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	10
WATERFORD COUNTY BOROUGH	28,138	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
GALWAY BOROUGH	21,989	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
DUNDALK URBAN DISTRICT	19,706	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,071	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,138	8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
BRAY URBAN DISTRICT	11,680	6	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,714	6	7	1	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	5
CLONMEL URBAN DISTRICT	10,617	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,158	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
WEXFORD URBAN DISTRICT	10,002	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	415,039	170	68	2	34	1	.	.	.	–	–	.	.	.	16	.	10	5	1	–	–
DERRY	54,239	28	4	1	1	.	.	.	.	–	–	.	.	.	.	.	1	1	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 30th SEPTEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
45–64	20	2	.	.	.	.	.	.	.	.	7	.	1	.	.	.	10
65 and over	51	2	.	.	.	.	.	.	.	.	11	1	2	4	.	1	30
TOTAL	91	5	.	.	.	.	.	.	.	.	18	1	3	4	.	2	58
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
65 and over	9	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	7
TOTAL	14	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	11
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	18	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	12
65 and over	19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19
TOTAL	45	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2	35

619/89E.30924/10.165.10/61.MSLtd.70.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 40. Vol. XCVIII WEEK ENDED SATURDAY, 7th OCTOBER, 1961. PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 406—217 boys and 189 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 155. Of these deaths, one was due to tuberculosis and 29 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents, one to drowning and one to burns. There was one suicide.

Among the deaths of infants under one year, 7 were due to prematurity, 7 to injury at birth, 3 to congenital malformation, 3 to atelectasis, one to pyodermia, one to pneumonia and one to gastro-enteritis.

The total number of births registered during the week in the principal towns was 744—394 boys and 350 girls, of which 198 boys and 166 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 282, of which 113 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 7th OCTOBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	864,861	406	155	23	84	1		.	.	.	.	.	1	.	29	.	6	4	1	7	106
DUBLIN COUNTY BOROUGH	535,488	240	81	4	49	.	.	.	.	.	.	.	1	.	18	.	3	3	1	3	52
DUN LAOGHAIRE BOROUGH	47,803	27	7	.	5	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	4
CORK COUNTY BOROUGH	77,860	44	11	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	7
LIMERICK COUNTY BOROUGH	50,497	33	32	16	8	.	.	.	.	.	.	.	.	.	3	.	1	1	.	2	25
WATERFORD COUNTY BOROUGH	28,138	15	7	1	4	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4
GALWAY BOROUGH	21,989	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	19,706	8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,071	10	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,138	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	11,680	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,714	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,617	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
KILKENNY URBAN DISTRICT	10,158	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,002	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BELFAST	415,039	168	88	9	51	.	.	.	.	–	–	.	.	.	15	.	9	4	.	–	–
DERRY	54,239	31	9	1	4	.	.	.	.	–	–	.	.	.	2	.	.	1	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 7th OCTOBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
1–4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
25–44	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3
45–64	17	.	.	.	.	.	.	.	.	.	6	.	.	1	.	2	8
65 and over	49	.	.	.	.	.	.	.	.	.	10	.	2	2	.	.	35
TOTAL	81	.	.	.	.	.	.	.	1	.	18	.	3	3	1	3	52
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
65 and over	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
TOTAL	11	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	7
TWELVE OTHER TOWNS																	
Under 1	19	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	18
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
45–64	10	.	.	.	.	.	.	.	.	.	5	.	.	.	.	1	4
65 and over	28	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	23
TOTAL	63	1	.	.	.	.	.	.	.	.	9	.	3	1	.	2	47

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 41. Vol. XCVIII WEEK ENDED SATURDAY, 14th OCTOBER, 1961. PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 417—216 boys and 201 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 160. Of these deaths, 2 were due to tuberculosis and 30 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to atelectasis, one to prematurity, one to pneumonia and one to haemolytic disease.

The total number of births registered during the week in the principal towns was 713—369 boys and 344 girls, of which 229 boys and 192 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 239, of which 143 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 14th OCTOBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	417	160	8	102	2		.	.	.	.	.	.	.	30	1	12	9	.	5	101
DUBLIN COUNTY BOROUGH	535,488	276	115	5	71	2	.	.	.	.	.	.	.	.	26	1	8	7	.	3	68
DUN LAOGHAIRE BOROUGH	47,803	28	11	1	7	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	7
CORK COUNTY BOROUGH	77,860	27	10	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	7
LIMERICK COUNTY BOROUGH	50,497	19	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
WATERFORD COUNTY BOROUGH	28,138	25	5	.	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
GALWAY BOROUGH	21,989	8	6	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
DUNDALK URBAN DISTRICT	19,706	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,071	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,138	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	11,680	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,714	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,617	7	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,158	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
WEXFORD URBAN DISTRICT	10,002	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	415,039	186	59	7	42	.	.	.	.	–	–	.	.	.	16	.	8	1	.	–	–
DERRY	54,239	37	10	.	4	.	.	.	.	–	–	.	.	.	1	.	1	.	.	–	–

Notes.—The populations [illegible]

TABLE 2.—Deaths registered during the week ended Saturday, 14th OCTOBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
25–44	6	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3
45–64	31	2	.	.	.	.	.	.	.	.	11	.	1	1	.	.	16
65 and over	71	.	.	.	.	.	.	.	.	.	12	.	6	6	.	3	44
TOTAL	115	2	.	.	.	.	.	.	.	.	26	1	8	7	.	3	68
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5
TOTAL	10	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	7
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
65 and over	24	.	.	.	.	.	.	.	.	.	3	.	3	.	.	1	17
TOTAL	35	.	.	.	.	.	.	.	.	.	3	.	4	1	.	1	26

KILDARE
23 OCT
ANN

Mount Salus Press, Dublin

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 42. Vol. XCVIII. WEEK ENDED SATURDAY, 21st OCTOBER, 1961. PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 468—228 boys and 240 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 159. Of these deaths, 5 were due to tuberculosis and 34 to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to transport accidents.

Among the deaths of infants under one year, 5 were due to prematurity, 3 to congenital malformation, 3 to pneumonia, 2 to gastro-enteritis, one to injury at birth, one to meningitis, one to moniliasis and one to staphylococcal septicaemia.

The total number of births registered during the week in the principal towns was 860—426 boys and 434 girls, of which 199 boys and 203 girls were registered in Dublin County Borough.

The total number of deaths, registered in the principal towns was 262, of which 138 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 14th OCTOBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	864,861	468	159	17	102	5		.	.	.	.	.	.	1	34		10	6	2	6	95
DUBLIN COUNTY BOROUGH	535,488	257	96	11	56	4	.	.	.	.	.	.	.	.	18	.	9	3	2	5	55
DUN LAOGHAIRE BOROUGH	47,803	43	9	.	7	.	.	.	.	.	.	.	.	.	5	.	.	.	.	1	3
CORK COUNTY BOROUGH	77,860	49	8	1	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
LIMERICK COUNTY BOROUGH	50,497	47	10	.	6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	8
WATERFORD COUNTY BOROUGH	28,138	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
GALWAY BOROUGH	21,989	7	4	1	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	19,706	10	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,071	15	6	.	6	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	4
SLIGO URBAN DISTRICT	13,138	11	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3
BRAY URBAN DISTRICT	11,680	7	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,714	3	5	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,617	.	6	3	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,158	16	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,002	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	415,039	161	89	4	50	.	.	.	.	–	–	.	.	.	19	.	9	10	.	–	–
DERRY	54,239	29	13	1	8	.	.	.	.	–	–	.	.	.	2	.	2	2	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 21st OCTOBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	11	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	6
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
45–64	22	3	.	.	.	.	.	.	.	.	9	.	.	.	.	.	10
65 and over	56	1	.	.	.	.	.	.	.	.	8	.	5	3	.	5	34
TOTAL	96	4	.	.	.	.	.	.	.	.	18	.	9	3	2	5	55
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
65 and over	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	8	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
	TWELVE OTHER TOWNS																
Under 1	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
65 and over	41	.	.	.	.	.	.	.	.	.	10	.	1	3	.	.	27
TOTAL	55	1	.	.	.	.	.	.	.	1	14	.	1	3	.	1	34

Mount Salus Press, Dublin

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 43. Vol. XCVIII. WEEK ENDED SATURDAY, 28th OCTOBER, 1961. PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 369—198 boys and 171 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 182. Of these deaths, 3 were due to tuberculosis and 39 to malignant neoplasms. There were 7 accidental deaths, 2 of which were due to transport accidents.

Among the deaths of infants under one year, 3 were due to prematurity, 2 to congenital malformation, 2 to atelectasis, one to pneumonia and one to asphyxia.

The total number of births registered during the week in the principal towns was 677—357 boys and 320 girls, of which 190 boys and 166 girls were registered in Dublin County Borough.

The total number of deaths, registered in the principal towns was 286, of which 114 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 28th OCTOBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	864,861	369	182	9	117	3		.	.	.	.	.	.	.	39	.	4	10	.	7	119
DUBLIN COUNTY BOROUGH	535,488	220	92	5	60	2	.	.	.	.	.	.	.	.	19	.	2	4	.	4	61
DUN LAOGHAIRE BOROUGH	47,803	15	18	1	13	1	.	.	.	.	.	.	.	.	5	.	.	1	.	.	11
CORK COUNTY BOROUGH	77,860	47	27	2	19	.	.	.	.	.	.	.	.	.	6	.	1	2	.	1	17
LIMERICK COUNTY BOROUGH	50,497	22	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
WATERFORD COUNTY BOROUGH	28,138	4	7	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
GALWAY BOROUGH	21,989	9	8	.	4	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	3
DUNDALK URBAN DISTRICT	19,706	10	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,071	11	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,138	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
BRAY URBAN DISTRICT	11,680	3	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,714	3	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,617	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
KILKENNY URBAN DISTRICT	10,158	4	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,002	11	9	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	6
BELFAST*	415,039	.	.	.	.	.	.	.	.	–	–	.	.	.	.	.	.	.	.	–	–
DERRY*	54,239	.	.	.	.	.	.	.	.	–	–	.	.	.	.	.	.	.	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 28th OCTOBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
45–64	21	1	.	.	.	.	.	.	.	.	6	.	1	1	.	.	12
65 and over	60	1	.	.	.	.	.	.	.	.	13	.	.	3	.	2	41
TOTAL	92	2	.	.	.	.	.	.	.	.	19	.	2	4	.	4	61
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	2
65 and over	19	.	.	.	.	.	.	.	.	.	3	.	1	1	.	1	13
TOTAL	27	.	.	.	.	.	.	.	.	.	6	.	1	2	.	1	17
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	19	.	.	.	.	.	.	.	.	.	7	.	.	.	.	1	11
65 and over	38	.	.	.	.	.	.	.	.	.	6	.	1	4	.	.	27
TOTAL	63	1	.	.	.	.	.	.	.	.	14	.	1	4	.	2	41

RECEIVED
7 NOV 1941

Mount Salus Press, Dublin

Gunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 44. Vol. XCVIII. Week Ended Saturday, 4th November, 1961. Price 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 351—185 boys and 166 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 161. Of these deaths, 3 were due to tuberculosis and 20 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident and one to drowning.

Among the deaths of infants under one year, 3 were due to pneumonia, one to prematurity, one to icterus, one to neonatal infection, one to gastro-enteritis and one to injury at birth.

The total number of births registered during the week in the principal towns was 593—330 boys and 263 girls, of which 178 boys and 138 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 242, of which 143 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 4th NOVEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	351	161	8	98	2	1	.	.	.	1	.	.	.	20		7	9	1	2	118
DUBLIN COUNTY BOROUGH	535,488	220	107	7	58	.	.	.	.	.	1	.	.	.	17	.	6	6	1	1	75
DUN LAOGHAIRE BOROUGH	47,803	13	10	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	9
CORK COUNTY BOROUGH	77,860	42	21		18	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	18
LIMERICK COUNTY BOROUGH	50,497	27	6	.	3	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
WATERFORD COUNTY BOROUGH	28,138	17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY BOROUGH	21,989	8	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	19,706	5	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,071	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,138	.	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
BRAY URBAN DISTRICT	11,680	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,714	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,617	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
KILKENNY URBAN DISTRICT	10,158	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
WEXFORD URBAN DISTRICT	10,002	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST*	415,039	155	84	8	56	1	.	.		–	–	.	.	.	11	.	14	7	1	–	–
DERRY*	54,239	27	10	1	6	.	.	.	.	–	–	.	.	.	2	.	.	.	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 4th NOVEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
		Tuberculosis										Diseases of the respiratory system					
	TOTAL DEATHS	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
	DUBLIN COUNTY BOROUGH																
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
5–14	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
45–64	33	.	.	.	.	.	.	.	.	.	13	.	.	1	.	.	19
65 and over	58	.	.	.	.	.	.	.	.	.	4	.	4	3	.	.	47
TOTAL	107	.	.	.	.	.	1	.	.	.	17	.	6	6	1	1	75
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	18	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	15
TOTAL	21	1	.	.	.	.	.	.	.	.	1	.		1	.	.	18
	TWELVE OTHER TOWNS																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	8	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	4
65 and over	22	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	20
TOTAL	33	1	1	.	.	.	.	.	.	.	2	.	1	2	.	1	25

Mount Salus Press Limited, Dublin.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 45. Vol. XCVIII. Week Ended Saturday, 11th November, 1961. Price 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 396—187 boys and 209 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 176. Of these deaths, 3 were due to tuberculosis and 32 to malignant neoplasms. There were 5 accidental deaths, 3 of which were due to transport accidents.

Among the deaths of infants under one year, 7 were due to congenital malformation, 4 to prematurity, 4 to atelectasis, 2 to gastro-enteritis, one to neonatal infection, one to injury at birth, one to marasmus and one to asphyxia

---

The total number of births registered during the week in the principal towns was 790—394 boys and 396 girls, of which 158 boys and 167 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 273, of which 131 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 11th NOVEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
						Tuberculosis										Diseases of the respiratory system					
				Under 1 year of age	65 years and upwards	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	396	176	21	112	3	.	.	.	.	.	.	.	.	32	.	2	11	3	5	120
DUBLIN COUNTY BOROUGH	535,488	216	95	7	59	1	.	.	.	.	.	.	.	.	23	.	1	5	1	2	62
DUN LAOGHAIRE BOROUGH	47,803	25	8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	3
CORK COUNTY BOROUGH	77,860	29	14	2	10	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	10
LIMERICK COUNTY BOROUGH	50,497	26	22	5	12	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	19
WATERFORD COUNTY BOROUGH	28,138	31	9	1	8	.	.	.	.	.	.	.	.	.	2	.	1	2	1	.	3
GALWAY BOROUGH	21,989	8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
DUNDALK URBAN DISTRICT	19,706	9	9	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
DROGHEDA URBAN DISTRICT	17,071	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,138	11	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
BRAY URBAN DISTRICT	11,680	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,714	7	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,617	8	2	1		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
KILKENNY URBAN DISTRICT	10,158	3	3	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,002	13	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
BELFAST*	415,039	165	76	4	50	1	.	.		–	–	.	.	.	14	.	11	7	.	–	–
DERRY*	54,239	31	17	2	8	.	.	.	.	–	–	.	.	.	1	.	3	.	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 11th NOVEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
1–4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
45–64	22	1	.	.	.	.	.	.	.	.	8	.	.	.	.	1	12
65 and over	59	.	.	.	.	.	.	.	.	.	15	.	.	5	.	.	29
TOTAL	95	1	.	.	.	.	.	.	.	.	23	.	1	5	1	2	62
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	10	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	6
TOTAL	14	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	10
TWELVE OTHER TOWNS																	
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	10
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
65 and over	43	1	.	.	.	.	.	.	.	.	6	.	1	3	.	2	30
TOTAL	67	2	.	.	.	.	.	.	.	.	6	.	1	5	2	3	48

Mount Salus Press Limited, Dublin.

unntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 46. Vol. XCVIII. Week Ended Saturday, 18th November, 1961. Price 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 354—186 boys and 168 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 121. Of these deaths, one was due to tuberculosis and 25 to malignant neoplasms. There were 2 accidental deaths.

Among the deaths of infants under one year, 6 were due to congenital malformation, 2 to pneumonia, and one to giardiasis.

The total number of births registered during the week in the principal towns was 587—309 boys and 278 girls, of which 191 boys and 169 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 202, of which 95 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 18th NOVEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS Caused By: Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	354	121	9	82	1	.	.	.	.	.	.	.	1	25	.	7	10	.	2	75
DUBLIN COUNTY BOROUGH	535,488	252	71	3	50	1	.	.	.	.	.	.	.	1	15	.	5	8	.	2	39
DUN LAOGHAIRE BOROUGH	47,803	10	6	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
CORK COUNTY BOROUGH	77,860	29	21	2	17	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	16
LIMERICK COUNTY BOROUGH	50,497	33	12	1	6	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	9
WATERFORD COUNTY BOROUGH	28,138	10	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
GALWAY BOROUGH	21,989	2	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	19,706	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,071	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	13,138	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	11,680	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,714	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,617	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,158	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,002	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST*	415,039	148	88	8	57	1	.	.	.	–	–	.	.	.	10	.	13	9	.	–	–
DERRY*	54,239	25	12	1	7	.	.	.	.	–	–	.	.	.	2	.	4	.	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 18th NOVEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
45–64	13	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	8
65 and over	50	1	.	.	.	.	.	.	.	.	10	.	2	7	.	1	29
TOTAL	71	1	.	.	.	.	.	.	.	1	15	.	5	8	.	2	39
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	17	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	13
TOTAL	21	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	16
	TWELVE OTHER TOWNS																
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
1–4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	5
65 and over	15	.	.	.	.	.	.	.	.	.	5	.	1	.	.	.	9
TOTAL	29	.	.	.	.	.	.	.	.	.	6	.	1	2	.	.	20

Mount Salus Press Limited, Dublin.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 47. Vol. XCVIII. Week Ended Saturday, 25th November, 1961. Price 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 285—139 boys and 146 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 166. Of these deaths, 2 were due to tuberculosis and 28 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents, 2 to carbon monoxide poisoning, and one to burns.

Among the deaths of infants under one year, 6 were due to congenital malformation, 3 to prematurity, 2 to pneumonia, 2 to atelectasis, 2 to haemolytic disease, 2 to injury at birth, one to hyaline membrane disease, one to gastro-enteritis, and one to septicaemia.

The total number of births registered during the week in the principal towns was 504—240 boys and 264 girls, of which 135 boys and 137 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 252, of which 120 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 25th NOVEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	285	166	20	100	2	.	.	.	.	.	.	.	.	28	.	4	15	1	6	110
DUBLIN COUNTY BOROUGH	535,488	186	94	16	54	2	.	.	.	.	.	.	.	.	18	.	3	5	1	3	62
DUN LAOGHAIRE BOROUGH	47,803	21	9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	6
CORK COUNTY BOROUGH	77,860	25	18	2	10	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	13
LIMERICK COUNTY BOROUGH	50,497	3	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3
WATERFORD COUNTY BOROUGH	28,138	6	6	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
GALWAY BOROUGH	21,989	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
DUNDALK URBAN DISTRICT	19,706	7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,071	9	6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
SLIGO URBAN DISTRICT	13,138	.	9	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	5
BRAY URBAN DISTRICT	11,680	3	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,714	3	5	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
CLONMEL URBAN DISTRICT	10,617	9	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,158	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,002	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
BELFAST	415,039	158	96	7	55	1	.	.	.	–	–	.	.	.	12	1	17	12	1	–	–
DERRY	54,239	22	11	.	8	.	.	.	.	–	–	.	.	.	2	.	1	1	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 25th NOVEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
		Tuberculosis										Diseases of the respiratory system					
	TOTAL DEATHS	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
	DUBLIN COUNTY BOROUGH																
Under 1	16	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	14
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
45–64	21	1	.	.	.	.	.	.	.	.	8	.	2	3	.	.	7
65 and over	54	1	.	.	.	.	.	.	.	.	9	.	.	2	.	2	40
TOTAL	94	2	.	.	.	.	.	.	.	.	18	.	3	5	1	3	62
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	10	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	8
TOTAL	18	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	13
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
45–64	13	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	9
65 and over	36	.	.	.	.	.	.	.	.	.	5	.	.	6	.	1	24
TOTAL	54	.	.	.	.	.	.	.	.	.	8	.	.	9	.	2	35

Mount Salus Press Limited, Dublin.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 48. Vol. XCVIII. WEEK ENDED SATURDAY, 2nd DECEMBER, 1961. PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 452—248 boys and 204 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 167. Of these deaths, 5 were due to tuberculosis and 28 to malignant neoplasms. There were 6 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 4 were due to pneumonia, 2 to congenital malformation, one to prematurity, one to haemolytic disease, one to injury at birth and one to asphyxia.

The total number of births registered during the week in the principal towns was 767—416 boys and 351 girls, of which 225 boys and 181 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 250, of which 122 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd DECEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
				CAUSED BY																	
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	864,361	452	167	10	106	5	.	.	.	.	.	.	.	.	28		12	13	.	6	103
DUBLIN COUNTY BOROUGH	535,488	287	102	9	61	4	.	.	.	.	.	.	.	.	21	.	9	7	.	4	57
DUN LAOGHAIRE BOROUGH	47,803	32	14	.	10	.	.	.	.	.	.	.	.	.	1	.	.	1		1	11
CORK COUNTY BOROUGH	77,860	21	16	.	12	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.	10
LIMERICK COUNTY BOROUGH	50,497	46	15	.	9	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	11
WATERFORD COUNTY BOROUGH	28,138	26	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
GALWAY BOROUGH	21,989	.	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	19,706	14	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,071	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	13,138	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	11,680	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
TRALEE URBAN DISTRICT	10,714	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
CLONMEL URBAN DISTRICT	10,617	8	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,158	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,002	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
BELFAST	415,039	160	105	3	71	1	.	.	.	–	–	.	.	.	18	.	21	11	.	–	–
DERRY	54,239	29	9	1	4	.	.	.	.	–	–	.	.	.	1	.	.	1		–	–

TABLE 2.—Deaths registered during the week ended Saturday, 2nd DECEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	5
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
25–44	6	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	2
45–64	23	2	.	.	.	.	.	.	.	.	7	.	.	1	.	.	13
65 and over	61	1	.	.	.	.	.	.	.	.	12	.	4	6	.	3	35
TOTAL	102	4	.	.	.	.	.	.	.	.	21	.	9	7	.	4	57
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	12	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	7
TOTAL	16	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.	10
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	14	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	9
65 and over	33	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1	26
TOTAL	49	1	.	.	.	.	.	.	.	.	5	.	2	3	.	2	36

Mount Salus Press Limited, Dublin.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 49. Vol. XCVIII. Week Ended Saturday, 9th December, 1961. Price 2d. Net.

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 302—169 boys and 133 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 155. Of these deaths, 3 were due to tuberculosis and 22 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident. There was one suicide.

Among the deaths of infants under one year, 4 were due to congenital malformation, one to prematurity, one to haemolytic disease, one to injury at birth, one to leukaemia and one to atelectasis.

The total number of births registered during the week in the principal towns was 611—328 boys and 283 girls, of which 163 boys and 129 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 249, of which 119 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 9th DECEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
						Tuberculosis										Diseases of the respiratory system					
				Under 1 year of age	65 years and upwards	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	302	155	9	104	3	.	.	.	.	.	.	.	1	22	2	2	12	.	3	110
DUBLIN COUNTY BOROUGH	535,488	188	89	7	55	3	.	.	.	.	.	.	.	1	15	2	1	8	.	3	56
DUN LAOGHAIRE BOROUGH	47,803	8	7	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
CORK COUNTY BOROUGH	77,860	26	28	.	22	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	25
LIMERICK COUNTY BOROUGH	50,497	21	9	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	7
WATERFORD COUNTY BOROUGH	28,138	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY BOROUGH	21,989	11	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
DUNDALK URBAN DISTRICT	19,706	18	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,071	15	5	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
SLIGO URBAN DISTRICT	13,138	2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
BRAY URBAN DISTRICT	11,680	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,714	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,617	5	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,158	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
WEXFORD URBAN DISTRICT	10,002	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	415,039	148	110	8	76	1	.	.	.	–	–	.	.	.	17	4	23	13	1	–	–
DERRY	54,239	28	8	.	5	.	.	.	.	–	–	.	.	.	2	.	.	2	.	–	–

TABLE 2.—Deaths registered during the week ended Saturday, 9th DECEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
5–14	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	7	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
45–64	17	1	.	.	.	.	.	.	.	.	4	1	.	2	.	.	9
65 and over	55	.	.	.	.	.	.	.	.	.	9	1	1	6	.	1	37
TOTAL	89	3	.	.	.	.	.	.	.	1	15	2	1	8	.	3	56
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
65 and over	22	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	20
TOTAL	28	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	25
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
65 and over	27	.	.	.	.	.	.	.	.	.	3	.	1	2	.	.	21
TOTAL	38	.	.	.	.	.	.	.	.	.	6	.	1	2	.	.	29

Printed by Mount Salus Press, Dublin.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 50. Vol. XCVIII. Week Ended Saturday, 16th December. 1961. Price 2d. Net.

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 275—134 boys and 141 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 183. Of these deaths, 3 were due to tuberculosis and 27 to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to transport accidents and one to carbon monoxide poisoning.

Among the deaths of infants under one year, 4 were due to pneumonia, 3 to congenital malformation, 2 to haemolytic disease, one to prematurity and one to injury at birth.

The total number of births registered during the week in the principal towns was 508—253 boys and 255 girls, of which 142 boys and 144 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 270, of which 143 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 16th DECEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS Caused By: Under 1 year of age	65 years and upwards	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	864,861	275	183	11	118	3	.	.	.	.	.	.	.	.	27	1	12	11	.	6	123
DUBLIN COUNTY BOROUGH	535,488	184	111	8	69	2	.	.	.	.	.	.	.	.	18	.	8	8	.	3	72
DUN LAOGHAIRE BOROUGH	47,803	12	9	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	8
CORK COUNTY BOROUGH	77,860	31	16	1	13	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	13
LIMERICK COUNTY BOROUGH	50,497	21	12	.	8	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	8
WATERFORD COUNTY BOROUGH	28,138	3	9	.	6	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	4
GALWAY BOROUGH	21,989	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	19,706	.	9	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	6
DROGHEDA URBAN DISTRICT	17,071	2	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	13,138	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
BRAY URBAN DISTRICT	11,680	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,714	1	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
CLONMEL URBAN DISTRICT	10,617	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,158	2	4	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
WEXFORD URBAN DISTRICT	10,002	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	415,039	186	124	5	86	2	.	.	.	–	–	.	.	.	23	4	28	12	.	–	–
DERRY	54,239	30	8	3	4	.	.	.	.	–	–	.	.	.	.	.	.	1		–	–

TABLE 2.—Deaths registered during the week ended Saturday, 16th DECEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
45–64	25	1	.	.	.	.	.	.	.	.	6	.	.	3	.	1	14
65 and over	69	.	.	.	.	.	.	.	.	.	11	.	4	5	.	1	48
TOTAL	111	2	.	.	.	.	.	.	.	.	18	.	8	8	.	3	72
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	13	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	10
TOTAL	16	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	13
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
45–64	13	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	11
65 and over	36	1	.	.	.	.	.	.	.	.	5	.	1	2	.	1	26
TOTAL	56	1	.	.	.	.	.	.	.	.	7	1	4	2	.	3	38

Printed by Mount Salus Press, Dublin.

Cunntas Seachtainiúil na mBreith agus na mBás

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

Nos. 51, 52. Vol. XCVIII. Two Weeks To Saturday, 30th Dec., 1961. Price 2d. Net.

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns,* i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the two weeks, to persons normally residing in the principal towns, was 637—325 boys and 312 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 371. Of these deaths, 5 were due to tuberculosis and 61 to malignant neoplasms. There were 8 accidental deaths, 2 of which were due to transport accidents and 2 to carbon monoxide poisoning. There was one suicide.

Among the deaths of infants under one year, 4 were due to pneumonia, 5 to congenital malformation, 3 to prematurity, 1 to atelectasis, 1 to influenza, 1 to bronchiolitis and 1 to pyelo-nephritis.

The total number of births registered during the week in the principal towns was 1216—615 boys and 601 girls, of which 203 boys and 216 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 559, of which 314 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the 2 weeks ended Saturday, 30th DECEMBER, 1961, which were assigned to the Principal Towns with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION 1961 Census Provisional figures	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upwards	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	864,861	637	371	16	256	5	.	.	.	.	.	.	.	.	61	3	21	44	.	9	228
DUBLIN COUNTY BOROUGH	535,488	419	253	9	177	5	.	.	.	.	.	.	.	.	39	2	15	31	.	7	154
DUN LAOGHAIRE BOROUGH	47,803	34	29	2	19	.	.	.	.	.	.	.	.	.	10	.	.	1	.	2	16
CORK COUNTY BOROUGH	77,860	68	22	1	17	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	17
LIMERICK COUNTY BOROUGH	50,497	30	16	.	11	.	.	.	.	.	.	.	.	.	4	.	2	.	.	.	10
WATERFORD COUNTY BOROUGH	28,138	17	14	1	10	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	7
GALWAY BOROUGH	21,989	11	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1
DUNDALK URBAN DISTRICT	19,706	13	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,071	15	8	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
SLIGO URBAN DISTRICT	13,138	8	7	1	6	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	5
BRAY URBAN DISTRICT	11,680	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,714	6	7	1	3	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	3
CLONMEL URBAN DISTRICT	10,617	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,158	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
WEXFORD URBAN DISTRICT	10,002	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	415,039	272	231	14	162	.	.	.	.	–	–	.	.	.	31	7	34	33	1	–	–
DERRY	54,239	55	22	2	14	.	.	.	.	–	–	.	.	.	1	.	4	2		–	–

Notes.—The populations given are those ascertained at the Census of April, 1961.

TABLE 2.—Deaths registered during the 2 weeks ended Saturday, 30th DECEMBER, 1961, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	6
1–4	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
25–44	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	4
45–64	54	4	.	.	.	.	.	.	.	.	11	.	.	6	.	1	32
65 and over	177	1	.	.	.	.	.	.	.	.	23	1	12	25	.	4	111
TOTAL	253	5	.	.	.	.	.	.	.	.	39	2	15	31	.	7	154
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
65 and over	17	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	14
TOTAL	22	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	17
TWELVE OTHER TOWNS																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4
1–4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
45–64	23	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	14
65 and over	62	.	.	.	.	.	.	.	.	.	12	.	3	7	.	1	39
TOTAL	96	.	.	.	.	.	.	.	.	.	22	1	5	9	.	2	57

Printed by Mount Salus Press, Dublin.